



# CUSTOM COMPONENT OPTIONS

## SIM2 DRIVER

CLUB	LOFT	HAND	LIE	VOLUME	LENGTH	SW
SIM2 DRIVER	8.0°	RH	56°-60°	460CC	45.75"	D5
SIM2 DRIVER	9.0°	RH/LH	56°-60°	460CC	45.75"	D5
SIM2 DRIVER	10.5°	RH/LH	56°-60°	460CC	45.75"	D5



## SIM2 MAX DRIVER

CLUB	LOFT	HAND	LIE	VOLUME	LENGTH	SW
SIM2 MAX DRIVER	9.0°	RH/LH	56°-60°	460CC	45.75"	D4
SIM2 MAX DRIVER	10.5°	RH/LH	56°-60°	460CC	45.75"	D4
SIM2 MAX DRIVER	12.0°	RH	56°-60°	460CC	45.75"	D4
SIM2 MAX WOMEN'S DRIVER	10.5°	RH	56°-60°	460CC	43.75"	C6
SIM2 MAX WOMEN'S DRIVER	12.0°	RH	56°-60°	460CC	43.75"	C6



## SIM2 MAX•D DRIVER

CLUB	LOFT	HAND	LIE	VOLUME	LENGTH	SW
SIM2 MAX•D DRIVER	9.0°	RH/LH	56°-60°	460CC	45.75"	D4
SIM2 MAX•D DRIVER	10.5°	RH/LH	56°-60°	460CC	45.75"	D4
SIM2 MAX•D DRIVER	12.0°	RH	56°-60°	460CC	45.75"	D4
SIM2 MAX•D WOMEN'S DRIVER	10.5°	RH	56°-60°	460CC	43.75"	C6
SIM2 MAX•D WOMEN'S DRIVER	12.0°	RH	56°-60°	460CC	43.75"	C6



DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD



# 2021 METALWOODS



## SIM2 FAIRWAY

CLUB	NUMBER	LOFT	HAND	LIE	VOLUME	LENGTH	SW
SIM2 T1 FAIRWAY	ROCKET 3	13.5°	RH	56.5°-60.5°	170CC	43.25"	D3
SIM2 T1 FAIRWAY	3	15°	RH/LH	56.5°-60.5°	170CC	43.25"	D3
SIM2 T1 FAIRWAY	5	19°	RH/LH	57°-61°	140CC	42.25"	D3



## SIM2 MAX FAIRWAY

CLUB	NUMBER	LOFT	HAND	LIE	VOLUME	LENGTH	SW
SIM2 MAX FAIRWAY	3	15°	RH/LH	59°	190CC	43.25"	D3
SIM2 MAX FAIRWAY	3HL	16.5°	RH/LH	59°	190CC	43.25"	D3
SIM2 MAX FAIRWAY	5	18°	RH/LH	59.5°	160CC	42.25"	D3
SIM2 MAX FAIRWAY	7	21°	RH	60°	160CC	41.75"	D3
SIM2 MAX FAIRWAY	9	24°	RH	60.5°	140CC	41.25"	D3
SIM2 MAX WOMEN'S FAIRWAY	3HL	16.5°	RH	59°	190CC	42.00"	C5
SIM2 MAX WOMEN'S FAIRWAY	5	18°	RH	59°	160CC	41.00"	C5
SIM2 MAX WOMEN'S FAIRWAY	7	21°	RH	60°	160CC	40.50"	C5
SIM2 MAX WOMEN'S FAIRWAY	9	24°	RH	60.5°	140CC	40.00"	C5



## SIM2 MAX•D FAIRWAY

CLUB	NUMBER	LOFT	HAND	LIE	VOLUME	LENGTH	SW
SIM2 MAX•D FAIRWAY	3	16°	RH/LH	59°	195CC	43.25"	D2
SIM2 MAX•D FAIRWAY	5	19°	RH/LH	59.5°	165CC	42.25"	D2
SIM2 MAX•D FAIRWAY	7	22°	RH	60°	165CC	41.75"	D2
SIM2 MAX•D WOMEN'S FAIRWAY	3	16°	RH	59°	195CC	42.00"	C5
SIM2 MAX•D WOMEN'S FAIRWAY	5	19°	RH	60°	165CC	41.00"	C5
SIM2 MAX•D WOMEN'S FAIRWAY	7	22°	RH	60.5°	165CC	40.50"	C5



## SIM2 RESCUE™

CLUB	NUMBER	LOFT	HAND	LIE	LENGTH	SW
SIM2 RESCUE	2	17°	RH	56.5°-59.5°	41.25"	D3
SIM2 RESCUE	3	19.5°	RH/LH	57°-60°	40.75"	D3
SIM2 RESCUE	4	22°	RH/LH	57.5°-60.5°	40.25"	D3



## SIM2 MAX RESCUE™

CLUB	NUMBER	LOFT	HAND	LIE	LENGTH	SW
SIM2 MAX RESCUE	3	19°	RH/LH	60°	40.75"	D3
SIM2 MAX RESCUE	4	22°	RH/LH	60.5°	40.25"	D3
SIM2 MAX RESCUE	5	25°	RH/LH	61°	39.75"	D3
SIM2 MAX RESCUE	6	28°	RH	61.5°	39.25"	D3
SIM2 MAX RESCUE	7	31°	RH	62°	38.75"	D3
SIM2 MAX WOMEN'S RESCUE	4	22°	RH	60.5°	39.25"	C8
SIM2 MAX WOMEN'S RESCUE	5	25°	RH	61°	38.75"	C8
SIM2 MAX WOMEN'S RESCUE	6	28°	RH	61.5°	38.25"	C8
SIM2 MAX WOMEN'S RESCUE	7	31°	RH	62°	37.75"	C8



DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD



# 2021 UTILITY IRONS



CLUB	NUMBER	LOFT	HAND	LIE	LENGTH	SW
SIM DHY	2	17°	RH	59.5°	40.25"	D2
SIM DHY	3	19°	RH/LH	60°	39.75"	D2
SIM DHY	4	22°	RH/LH	60.5°	39.25"	D2
SIM DHY	5	25°	RH	61°	38.75"	D2



CLUB	NUMBER	LOFT	HAND	LIE	LENGTH	SW
SIM UDI	2	18°	RH/LH	60°	39.75"	D2
SIM UDI	3	20°	RH/LH	60.5°	39.25"	D2



# 2021 IRONS



CLUB	4	5	6	7	8	9	PW	AW	SW	LW
LOFT	19°	21.5°	25°	28.5°	32.5°	38°	43.5°	49°	54°	59°
LIE	61.5°	62°	62.5°	63°	63.5°	64°	64.5°	64.5°	64.5°	64.5°
OFFSET	5.8mm	5.2mm	4.7mm	4.2mm	3.5mm	3mm	2.6mm	2mm	1.5mm	1.5mm
BOUNCE	2.0°	3.5°	5.0°	5.6°	6.3°	6.8°	7.8°	7.5°	9.0°	9.0°
LENGTH MEN'S	39.125"	38.50"	37.88"	37.25"	36.75"	36.25"	35.75"	35.50"	35.25"	35.00"
SWINGWEIGHT MEN'S (ST/GR)	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D2/D1	D3/D2
LENGTH WOMEN'S	38.125"	37.50"	36.88"	36.25"	35.75"	35.25"	34.75"	34.50"	34.25"	34.00"
SWINGWEIGHT WOMEN'S	C2	C2	C2	C2	C2	C2	C2	C2	C2	C3
HAND	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH



CLUB	4	5	6	7	8	9	PW	AW	SW	LW
LOFT	18°	20°	23.5°	26.5°	31.5°	36.5°	42°	48°	54°	59°
LIE	61.5°	62°	62.5°	63°	63.5°	64°	64.5°	64.5°	64.5°	64.5°
OFFSET	7.2mm	6.7mm	6.2mm	5.7mm	4.5mm	4mm	3.6mm	3.1mm	2.5mm	2mm
BOUNCE	2.0°	3.0°	4.0°	5.3°	6.5°	7.0°	7.5°	7.5°	9.0°	9.0°
LENGTH MEN'S	39.125"	38.50"	37.88"	37.25"	36.75"	36.25"	35.75"	35.50"	35.25"	35.00"
SWINGWEIGHT MEN'S (ST/GR)	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D1/D0	D2/D1	D3/D2
LENGTH WOMEN'S	38.125"	37.50"	36.88"	36.25"	35.75"	35.25"	34.75"	34.50"	34.25"	34.00"
SWINGWEIGHT WOMEN'S	C2	C2	C2	C2	C2	C2	C2	C2	C3	C4
HAND	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH



DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD



# 2021 IRONS



## P.790

CLUB	3	4	5	6	7	8	9	PW	AW
LOFT	19°	21°	23.5°	26.5°	30.5°	35°	40°	45°	50°
LIE	60.5°	61°	61.5°	62°	62.5°	63°	63.5°	64°	64°
OFFSET	3.5mm	3.4mm	3.1mm	2.9mm	2.7mm	2.4mm	2.1mm	1.8mm	1.6mm
BOUNCE	0.0°	1.0°	2.0°	3.0°	4.5°	6.5°	8.5°	10.5°	11.5°
LENGTH (ST/GR)	39.00"	38.50"	38.00"	37.50"	37.00"	36.50"	36.00"	35.75"	35.50"
SWINGWEIGHT (ST/GR)	D2/D0	D2/D0	D2/D0	D2/D0	D2/D0	D2/D0	D2/D0	D3/D1	D3/D1
HAND	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH



## P.770

CLUB	3	4	5	6	7	8	9	PW	AW
LOFT	19.5°	22.5°	25.5°	29°	33°	37°	41.5°	46°	51°
LIE	60.5°	61°	61.5°	62°	62.5°	63°	63.5°	64°	64°
OFFSET	3.6mm	3.3mm	3mm	2.7mm	2.4mm	2.2mm	1.9mm	1.6mm	1.6mm
BOUNCE	0.0°	1.0°	3.0°	4.0°	5.0°	7.0°	8.0°	10°	10°
LENGTH (ST)	39.00"	38.50"	38.00"	37.5"	37.00"	36.50"	36.00"	35.75"	35.50"
SWINGWEIGHT (ST)	D2	D2	D2	D2	D2	D2	D2	D3	D3
HAND	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH



## P.7MC

CLUB	3	4	5	6	7	8	9	PW
LOFT	20°	23°	26°	30°	34°	38°	42.5°	47°
LIE	60.5°	61°	61.5°	62°	62.5°	63°	63.5°	64°
OFFSET	2.9mm	2.7mm	2.5mm	2.3mm	2.1mm	1.9mm	1.7mm	1.5mm
BOUNCE	1.0°	1.5°	3.0°	4.5°	6.0°	7.0°	8.0°	9.0°
LENGTH (ST)	39.00"	38.50"	38.00"	37.50"	37.00"	36.50"	36.00"	35.75"
SWINGWEIGHT (ST)	D3	D3	D3	D3	D3	D3	D3	D4
HAND	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH



## P.7MB

CLUB	3	4	5	6	7	8	9	PW
LOFT	21°	24°	27°	31°	35°	39°	43°	47°
LIE	60.5°	61°	61.5°	62°	62.5°	63°	63.5°	64°
OFFSET	1.9mm	1.8mm	1.75mm	1.7mm	1.6mm	1.55mm	1.5mm	1.4mm
BOUNCE	0.0°	.5°	1.0°	1.5°	2.6°	5.0°	6.1°	6.6°
LENGTH (ST)	39.00"	38.50"	38.00"	37.50"	37.00"	36.50"	36.00"	35.75"
SWINGWEIGHT (ST)	D3	D3	D3	D3	D3	D3	D3	D4
HAND	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH	RH/LH



## P.7TW

CLUB	3	4	5	6	7	8	9	PW
LOFT	21°	24°	27°	31°	35°	39°	43°	47°
LIE	59.5°	60°	60.5°	61°	61.5°	62.5°	63°	63.5°
OFFSET	2.3mm	1.9mm	1.9mm	1.8mm	1.4mm	1.2mm	1.3mm	0.7mm
LENGTH (ST)	39.00"	38.50"	38.00"	37.50"	37.00"	36.50"	36.00"	35.75"
SWINGWEIGHT (ST)	D3	D3	D3	D3	D3	D3	D3	D3
HAND	RH	RH	RH	RH	RH	RH	RH	RH



All P.700 Series irons are now offered in women's specs with shorter lengths (-1") and lighter swing weights.

# P·700 SERIES

## COMBO GUIDE

Whether you play for Sunday trophies or Saturday morning pride, our P-Series delivers the performance you need when it's all on the line. An added benefit is the ability to combo, or mix and match, iron sets. This chart will help identify how your lofts should be adjusted for proper gapping based on your desired level of forgiveness.

	ADJUSTED LOFTS								STOCK LOFTS				
	MB	MC	MC	P770	P770	P790	P790	P790Ti	MB	MC	P770	P790	P790 Ti
FORGIVENESS LEVEL 1	3		STD		STD		STD		21°	20°	19.5°	19°	N/A
	4		STD		STD		1° Weak	STD	24°	23°	22.5°	21°	19°
	5	STD		STD		STD		1° Weak	27°	26°	25.5°	23.5°	21.5°
	6	STD		STD		STD		STD	31°	30°	29°	26.5°	25°
	7	STD		STD		STD		STD	35°	34°	33°	30.5°	28.5°
	8	STD		STD		STD		STD	39°	38°	37°	35°	32.5°
	9	STD		STD		STD		STD	43°	42.5°	41.5°	40°	38°
	P	STD		STD		STD		STD	47°	47°	46°	45°	43.5°
	A					STD		STD	N/A	N/A	51°	50°	49°

	ADJUSTED LOFTS								STOCK LOFTS				
	MB	MC	MC	P770	P770	P790	P790	P790Ti	MB	MC	P770	P790	P790 Ti
FORGIVENESS LEVEL 2	3		STD		STD		STD		21°	20°	19.5°	19°	N/A
	4		0.5° Weak		STD		1° Weak	STD	24°	23°	22.5°	21°	19°
	5		1° Weak		0.5° Weak		2° Weak	1° Weak	27°	26°	25.5°	23.5°	21.5°
	6	STD		STD		STD		1.5° Weak	31°	30°	29°	26.5°	25°
	7	STD		STD		STD		STD	35°	34°	33°	30.5°	28.5°
	8	STD		STD		STD		STD	39°	38°	37°	35°	32.5°
	9	STD		STD		STD		STD	43°	42.5°	41.5°	40°	38°
	P	STD		STD		STD		STD	47°	47°	46°	45°	43.5°
	A					STD		STD	N/A	N/A	51°	50°	49°

	ADJUSTED LOFTS								STOCK LOFTS				
	MB	MC	MC	P770	P770	P790	P790	P790Ti	MB	MC	P770	P790	P790 Ti
FORGIVENESS LEVEL 3	3		STD		STD		STD		21°	20°	19.5°	19°	N/A
	4		STD		STD		1° Weak	STD	24°	23°	22.5°	21°	19°
	5		1° Weak		0.5° Weak		1.5° Weak	0.5° Weak	27°	26°	25.5°	23.5°	21.5°
	6		1° Weak		1° Weak		2° Weak	1° Weak	31°	30°	29°	26.5°	25°
	7	STD		STD		0.5° Strong		1.5° Weak	35°	34°	33°	30.5°	28.5°
	8	STD		STD		STD		STD	39°	38°	37°	35°	32.5°
	9	STD		STD		STD		STD	43°	42.5°	41.5°	40°	38°
	P	STD		STD		STD		STD	47°	47°	46°	45°	43.5°
	A					STD		STD	N/A	N/A	51°	50°	49°

	ADJUSTED LOFTS								STOCK LOFTS				
	MB	MC	MC	P770	P770	P790	P790	P790Ti	MB	MC	P770	P790	P790 Ti
FORGIVENESS LEVEL 4	3		STD		STD		STD		21°	20°	19.5°	19°	N/A
	4		STD		STD		1° Weak	STD	24°	23°	22.5°	21°	19°
	5		1° Weak		0.5° Weak		1.5° Weak	0.5° Weak	27°	26°	25.5°	23.5°	21.5°
	6		1° Weak		1° Weak		2° Weak	1° Weak	31°	30°	29°	26.5°	25°
	7		1° Weak		1° Weak		2° Weak	1.5° Weak	35°	34°	33°	30.5°	28.5°
	8	STD		STD		STD		2° Weak	39°	38°	37°	35°	32.5°
	9	STD		STD		STD		0.5° Strong	43°	42.5°	41.5°	40°	38°
	P	STD		STD		STD		0.5° Strong	47°	47°	46°	45°	43.5°
	A					STD		0.5° Strong	N/A	N/A	51°	50°	49°

# 2021 WEDGES



CLUB	LOFT	LENGTH	BOUNCE	LIE	HAND	SWINGWEIGHT	SHAFT	MATERIAL	FINISH	GROOVE
LOW BOUNCE	54°	35.25"	8°	64°	RH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
LOW BOUNCE	56°	35.25"	8°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
LOW BOUNCE	58°	35.00"	8°	64°	RH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
LOW BOUNCE	60°	35.00"	8°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
STANDARD BOUNCE	48°	35.75"	9°	64°	RH	D3	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME	ZTP-RAW
STANDARD BOUNCE	50°	35.50"	9°	64°	RH/LH	D3	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
STANDARD BOUNCE	52°	35.50"	9°	64°	RH/LH	D3	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
STANDARD BOUNCE	54°	35.25"	11°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
STANDARD BOUNCE	56°	35.25"	12°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
STANDARD BOUNCE	58°	35.00"	11°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
STANDARD BOUNCE	60°	35.00"	10°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME/BLACK	ZTP-RAW
HIGH BOUNCE	54°	35.25"	13°	64°	RH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME	ZTP-RAW
HIGH BOUNCE	56°	35.25"	14°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME	ZTP-RAW
HIGH BOUNCE	58°	35.00"	12°	64°	RH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME	ZTP-RAW
HIGH BOUNCE	60°	35.00"	12°	64°	RH/LH	D5	TRUE TEMPER DYNAMIC GOLD S200	8620 CARBON STEEL	CHROME	ZTP-RAW



CLUB	LOFT	LENGTH	BOUNCE	LIE	HAND	SWINGWEIGHT	SHAFT	MATERIAL	FINISH	GROOVE
MG2 TIGER WOODS GRIND	56°	35.25"	12°	64°	RH	D6	TRUE TEMPER DYNAMIC GOLD S400	8620 CARBON STEEL	CHROME	ZTP-RAW
MG2 TIGER WOODS GRIND	60°	35.50"	12°	64°	RH	D4	TRUE TEMPER DYNAMIC GOLD S400	8620 CARBON STEEL	CHROME	ZTP-RAW



CLUB	LOFT	LENGTH	BOUNCE	LIE	HAND	SWINGWEIGHT	SHAFT	MATERIAL	FINISH
LOW BOUNCE	58°	35.00"	7°	64°	RH	D5	KBS HI-REV 2.0 115	8620 CARBON STEEL	AGED COPPER
LOW BOUNCE	60°	35.00"	7°	64°	RH/LH	D5	KBS HI-REV 2.0 115	8620 CARBON STEEL	AGED COPPER
STANDARD BOUNCE	50°	35.50"	9°	64°	RH/LH	D3	KBS HI-REV 2.0 115	8620 CARBON STEEL	AGED COPPER
STANDARD BOUNCE	52°	35.50"	9°	64°	RH/LH	D3	KBS HI-REV 2.0 115	8620 CARBON STEEL	AGED COPPER
STANDARD BOUNCE	54°	35.25"	10°	64°	RH/LH	D5	KBS HI-REV 2.0 115	8620 CARBON STEEL	AGED COPPER
STANDARD BOUNCE	56°	35.25"	10°	64°	RH/LH	D5	KBS HI-REV 2.0 115	8620 CARBON STEEL	AGED COPPER
STANDARD BOUNCE	58°	35.00"	10°	64°	RH/LH	D5	KBS HI-REV 2.0 115	8620 CARBON STEEL	AGED COPPER
STANDARD BOUNCE	60°	35.00"	10°	64°	RH/LH	D5	KBS HI-REV 2.0 115	8620 CARBON STEEL	AGED COPPER
STANDARD BOUNCE	62°	35.00"	9°	64°	RH	D5	KBS HI-REV 2.0 115	8620 CARBON STEEL	AGED COPPER
BIG FOOT - HIGH BOUNCE	56°	35.25"	15°	64°	RH	D5	KBS HI-REV 2.0 115	8620 CARBON STEEL	AGED COPPER
BIG FOOT - HIGH BOUNCE	58°	35.00"	15°	64°	RH/LH	D5	KBS HI-REV 2.0 115	8620 CARBON STEEL	AGED COPPER
BIG FOOT - HIGH BOUNCE	60°	35.00"	15°	64°	RH/LH	D5	KBS HI-REV 2.0 115	8620 CARBON STEEL	AGED COPPER

# 2021 PUTTERS



IMAGE	TYPE	HOSEL	HAND	TOE HANG	OFFSET	LENGTH	HEAD WEIGHT	LOFT	LIE	INSERT
1	BLACK / WHITE	L-NECK (#1)	RH/LH	25°	FULL SHAFT	33", 34", 35"	350g, 338g, 333g	3°	70°	COPPER PUREROLL
2	BLACK / WHITE	SHORT SLANT (#3)	RH/LH	46°	3/4 SHAFT	33", 34", 35"	349g, 341g, 341g	3°	70°	COPPER PUREROLL
3	BLACK / WHITE	SINGLE BEND (#7 SB)	RH/LH	FACE BALANCED	FULL SHAFT	33", 34", 35"	346g, 339g, 329g	3°	70°	COPPER PUREROLL



IMAGE	TYPE	HOSEL	HAND	TOE HANG	OFFSET	LENGTH	HEAD WEIGHT	LOFT	LIE	INSERT
1	HYDRO BLAST	FLOW NECK (#9)	RH/LH	21°	3/4 SHAFT	33", 34", 35"	353g	3°	70°	SURLYN PUREROLL
2	HYDRO BLAST	SINGLE BEND (#7 SB)	RH/LH	FACE BALANCED	FULL SHAFT	33", 34", 35"	353g	3°	70°	SURLYN PUREROLL



IMAGE	TYPE	HOSEL	HAND	TOE HANG	OFFSET	LENGTH	HEAD WEIGHT	LOFT	LIE	INSERT
1	PLATINUM/WHITE & NAVY/WHITE & GHOST WHITE	SHORT SLANT (#3)	RH/LH	28°	HALF SHAFT	33", 34", 35"	368g, 358g, 348g	3°	70°	CO-MOLDED PUREROLL <sup>2</sup>
2	PLATINUM/WHITE & GHOST WHITE	FLOW NECK (#9)	RH/LH	20°	FULL SHAFT	33", 34", 35"	365g, 355g, 345g	3°	70°	CO-MOLDED PUREROLL <sup>2</sup>
3	PLATINUM/WHITE & NAVY/WHITE	SINGLE BEND (#7 SB)	RH/LH	FACE BALANCED	FULL SHAFT	33", 34", 35"	365g, 355g, 345g	3°	70°	CO-MOLDED PUREROLL <sup>2</sup>




IMAGE	TYPE	HOSEL	HAND	TOE HANG	OFFSET	LENGTH	HEAD WEIGHT	LOFT	LIE	INSERT
1	PLATINUM/WHITE	L-NECK (#1)	RH/LH	20°	FULL SHAFT	33", 34", 35"	365g, 355g, 345g	2.5°	70°	SURLYN PUREROLL
2	PLATINUM/WHITE	SINGLE BEND (SB)	RH/LH	FACE BALANCED	FULL SHAFT	33", 34", 35"	365g, 355g, 345g	2.5°	70°	SURLYN PUREROLL



IMAGE	TYPE	HOSEL	HAND	TOE HANG	OFFSET	LENGTH	HEAD WEIGHT	LOFT	LIE	INSERT
1	PLATINUM/WHITE	FLOW NECK (#9)	RH/LH	22°	FULL SHAFT	33", 34", 35"	365g, 355g, 345g	2.5°	70°	SURLYN PUREROLL
2	PLATINUM/WHITE	SINGLE BEND (#7 SB)	RH/LH	FACE BALANCED	FULL SHAFT	33", 34", 35"	365g, 355g, 345g	2.5°	70°	SURLYN PUREROLL



# 2021 PUTTERS - WEIGHT TABLES



Stock (33",34",35") configurations have a pre-determined sole weight configuration for maximum performance. Any other desired Custom lengths are also pre-determined per the chart below.



PUTTER LENGTH	WEIGHTS		
	L-NECK	SMALL SLANT	SINGLE BEND
32"	10g	20g	20g
32.25"	10g	20g	20g
32.5"	10g	20g	20g
32.75"	10g	20g	20g
33"	10g	20g	20g
33.25"	10g	20g	20g
33.5"	10g	20g	20g
33.75"	2.5g	7.5g	12g
34"	2.5g	7.5g	12g
34.25"	2.5g	7.5g	12g
34.5"	2.5g	7.5g	12g
34.75"	2.5g	2.5g	2.5g
35"	2.5g	2.5g	2.5g
35.25"	2.5g	2.5g	2.5g
35.5"	2.5g	2.5g	2.5g
35.75"	2.5g	2.5g	2.5g
36"	2.5g	2.5g	2.5g
36.25"	2.5g	2.5g	2.5g
36.5"	2.5g	2.5g	2.5g
36.75"	2.5g	2.5g	2.5g
37"	2.5g	2.5g	2.5g



PUTTER LENGTH	WEIGHTS
	ALL MODELS
32"	12g
32.25"	12g
32.5"	12g
32.75"	12g
33"	12g
33.25"	6g
33.5"	6g
33.75"	6g
34"	2g
34.25"	2g
34.5"	2g
34.75"	2g
35"	2g
35.25"	2g
35.5"	2g
35.75"	2g
36"	2g
36.25"	2g
36.5"	2g
36.75"	2g
37"	2g

# 2021 PUTTERS - WEIGHT TABLES



*Spider*  
-EX-

PUTTER LENGTH	WEIGHTS		
	#3 HOSEL	#9 HOSEL	SB HOSEL
32"	2x 30g	2x 25g	2x 30g
32.25"	2x 30g	2x 25g	2x 30g
32.5"	2x 30g	2x 25g	2x 30g
32.75"	2x 30g	2x 25g	2x 30g
33"	2x 30g	2x 25g	2x 30g
33.25"	2x 30g	2x 25g	2x 30g
33.5"	2x 25g	2x 20g	2x 25g
33.75"	2x 25g	2x 20g	2x 25g
34"	2x 25g	2x 20g	2x 25g
34.25"	2x 25g	2x 20g	2x 25g
34.5"	2x 25g	2x 20g	2x 25g
34.75"	2x 20g	2x 15g	2x 20g
35"	2x 20g	2x 15g	2x 20g
35.25"	2x 20g	2x 15g	2x 20g
35.5"	2x 20g	2x 15g	2x 20g
35.75"	2x 20g	2x 15g	2x 20g
36"	2x 15g	2x 15g	2x 15g
36.25"	2x 15g	2x 15g	2x 15g
36.5"	2x 15g	2x 15g	2x 15g
36.75"	2x 15g	2x 15g	2x 15g
37"	2x 15g	2x 15g	2x 15g

*Spider*  
-S-

PUTTER LENGTH	WEIGHTS	
	L-NECK	SINGLE BEND
32"	70g	70g
32.25"	70g	70g
32.5"	60g	70g
32.75"	60g	70g
33"	60g	70g
33.25"	60g	70g
33.5"	50g	60g
33.75"	50g	60g
34"	50g	60g
34.25"	50g	60g
34.5"	40g	50g
34.75"	40g	50g
35"	40g	50g
35.25"	40g	50g
35.5"	40g	50g
35.75"	40g	40g
36"	40g	40g
36.25"	40g	40g
36.5"	40g	40g
36.75"	40g	40g
37"	40g	40g

*Spider*  
-SR-

PUTTER LENGTH	WEIGHTS	
	FLOW NECK	SINGLE BEND
32"	23g	23g
32.25"	23g	23g
32.5"	18g	23g
32.75"	18g	23g
33"	18g	23g
33.25"	18g	23g
33.5"	13g	18g
33.75"	13g	18g
34"	13g	18g
34.25"	13g	18g
34.5"	8g	13g
34.75"	8g	13g
35"	8g	13g
35.25"	8g	13g
35.5"	8g	13g
35.75"	8g	8g
36"	8g	8g
36.25"	8g	8g
36.5"	8g	8g
36.75"	8g	8g
37"	8g	8g

# PRODUCT COMPARISON DATA SHEET



DRIVERS	SIM2	SIM2 MAX	SIM2 MAX-D
FORGIVENESS	HIGH	HIGHEST	HIGHEST
LAUNCH	MID	HIGH	HIGH
SPIN	LOWEST	LOW	MID-LOW
BIASED	NEUTRAL	NEUTRAL	DRAW (UP TO 20 YARDS DRAW)
SIZE	460CC	460CC	460CC



FAIRWAYS	SIM2 TITANIUM	SIM2 MAX	SIM2 MAX-D
FORGIVENESS	HIGH	HIGHEST	HIGHEST
LAUNCH	MID	HIGH	HIGHEST
SPIN	LOW	MID-LOW	MID
BIASED	NEUTRAL	NEUTRAL	DRAW
SIZE (3W)	170CC	190CC	195CC



RESCUE / UTILITY	SIM2	SIM2 MAX	SIM DHY	SIM UDI	P-790 UDI
FORGIVENESS	HIGH	HIGHEST	HIGH	MID	MID
LAUNCH	MID	HIGH	MID	MID-LOW	LOW
SPIN	MID	MID-LOW	MID-LOW	MID-LOW	LOW
BIASED	NEUTRAL	NEUTRAL	NEUTRAL	NEUTRAL	NEUTRAL

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD



# PRODUCT COMPARISON DATA SHEET



IRONS	P-7TW	P-7MB	P-7MC	P-770	P-790	SIM2 MAX	SIM2 MAX OS
STYLE	PLAYERS	PLAYERS	PLAYERS	PLAYERS PERFORMANCE	PLAYERS PERFORMANCE	GAME IMPROVEMENT	SUPER GAME IMPROVEMENT
FORGIVENESS	LOW-MID	LOW	LOW	MID	MID-HIGH	HIGH	HIGHEST
TRAJECTORY	MID	MID	MID	MID	MID-HIGH	HIGH	HIGH
WORKABILITY	HIGH	HIGH	HIGH	MID-HIGH	MID	LOW	LOW
DISTANCE	MID	MID	MID	MID-LONG	LONG	LONGER	LONGEST



WEDGE	HI-TOE RAW	MILLED GRIND 2
SHAPE	MODERN	CLASSIC
LAUNCH	MID-LOW	MID-HIGH
SPIN	HIGHEST	HIGH
GROOVE	ZTP-RAW	ZTP-RAW
RAW FACE	YES	YES
FULL FACE SCORING LINES	56°, 58°, 60°, 62°	N/A

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD



# PRODUCT COMPARISON DATA SHEET



PUTTER				
MODEL	SHAFT OFFSET	HOSEL	TOE HANG	CG LOCATION
SPIDER X #7	FULL SHAFT	SINGLE BEND	FACE BALANCED	35MM
SPIDER X #9	FULL SHAFT	FLOW NECK	21°	35MM
SPIDER EX #3	1/2 SHAFT	SHORT SLANT	28°	35MM
SPIDER EX #9	FULL SHAFT	FLOW NECK	20°	35MM
SPIDER EX #7	FULL SHAFT	SINGLE BEND	FACE BALANCED	35MM
SPIDER FCG #3	1/2 SHAFT	SHORT SLANT	46°	19MM
SPIDER FCG #1	FULL SHAFT	L-NECK	25°	19MM
SPIDER FCG #7	3/4 SHAFT	SINGLE BEND	FACE BALANCED	19MM
SPIDER S #7	FULL SHAFT	SINGLE BEND	FACE BALANCED	37MM
SPIDER S #1	FULL SHAFT	L-NECK	20°	37MM
SPIDER SR #7	FULL SHAFT	SINGLE BEND	FACE BALANCED	36MM
SPIDER SR #9	FULL SHAFT	FLOW NECK	22°	36MM

MODEL	SHAFT OFFSET	HOSEL	TOE HANG	CG LOCATION	
SPIDER FCG #7	3/4 SHAFT	SINGLE BEND	FACE BALANCED	19MM	<p><b>EASIEST TO CLOSE</b> Rotates easier through impact zone</p> <p><b>HARDEST TO CLOSE</b> Resists rotation through impact zone</p>
SPIDER X #7	FULL SHAFT	SINGLE BEND	FACE BALANCED	35MM	
SPIDER EX #7	FULL SHAFT	SINGLE BEND	FACE BALANCED	35MM	
SPIDER SR #7	FULL SHAFT	SINGLE BEND	FACE BALANCED	36MM	
SPIDER S #7	FULL SHAFT	SINGLE BEND	FACE BALANCED	37MM	
SPIDER S #1	FULL SHAFT	L-NECK	20°	37MM	
SPIDER EX #9	FULL SHAFT	FLOW NECK	20°	35MM	
SPIDER SR #9	FULL SHAFT	FLOW NECK	22°	36MM	
SPIDER X #9	FULL SHAFT	FLOW NECK	21°	35MM	
SPIDER EX #3	1/2 SHAFT	SHORT SLANT	28°	35MM	
SPIDER FCG #1	FULL SHAFT	L-NECK	25°	19MM	
SPIDER FCG #3	1/2 SHAFT	SHORT SLANT	46°	19MM	

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD



# BUILD INFO



DRIVER	LOFT SLEEVE ADJUSTMENTS			TIP DIAMETER
	LOFT	FACE ANGLE	LIE	
<b>SIM<sup>2</sup></b>	2° +/-	4° +/-	56° - 60°	0.335
<b>SIM<sup>2</sup> MAX</b>	2° +/-	4° +/-	56° - 60°	0.335
<b>SIM<sup>2</sup> MAX D</b>	2° +/-	4° +/-	56° - 60°	0.335

FAIRWAY	LOFT SLEEVE ADJUSTMENTS				TIP DIAMETER
	LOFT	FACE ANGLE	3 WOOD LIE	5 WOOD LIE	
<b>SIM<sup>2</sup></b>	2° +/-	4° +/-	56.5° - 60.5°	57° - 61°	0.335
<b>SIM<sup>2</sup> MAX</b>	NA	NA	NA	NA	0.335
<b>SIM<sup>2</sup> MAX D</b>	NA	NA	NA	NA	0.335

HYBRIDS	LOFT SLEEVE ADJUSTMENTS		TIP DIAMETER
	LOFT	LIE	
<b>SIM<sup>2</sup></b>	1.5° +/-	3° +/-	0.370 (PARALLEL)
<b>SIM<sup>2</sup> MAX</b>	NA	NA	0.370 (PARALLEL)

UTILITY	LOFT ADJUSTMENTS	LIE ADJUSTMENTS	TIP	STOCK LENGTHS	CUSTOM LENGTHS
<b>SIM<sup>2</sup> OHY</b>	2° +/-	2° +/-	0.370 (PARALLEL)	TRADITIONAL	TRADITIONAL
<b>SIM<sup>2</sup> UBI</b>	2° +/-	2° +/-	0.370 (PARALLEL)	TRADITIONAL	TRADITIONAL
<b>P·790 UDI</b>	2° +/-	4° +/-	0.355 (PARALLEL)	TRADITIONAL	TRADITIONAL

IRONS	LOFT ADJUSTMENTS	LIE ADJUSTMENTS	TIP	STOCK LENGTHS	CUSTOM LENGTHS
<b>SIM<sup>2</sup> MAX</b>	2° +/-	4° +/-	0.370 (PARALLEL)	PROGRESSIVE	PROGRESSIVE
<b>SIM<sup>2</sup> MAX OS</b>	2° +/-	4° +/-	0.370 (PARALLEL)	PROGRESSIVE	PROGRESSIVE
<b>P·790</b>	2° +/-	4° +/-	0.355 (TAPER)	TRADITIONAL	TRADITIONAL
<b>P·770</b>	2° +/-	4° +/-	0.355 (TAPER)	TRADITIONAL	TRADITIONAL
<b>P·7MC</b>	2° +/-	4° +/-	0.355 (TAPER)	TRADITIONAL	TRADITIONAL
<b>P·7MB</b>	2° +/-	4° +/-	0.355 (TAPER)	TRADITIONAL	TRADITIONAL
<b>P·7TW</b>	2° +/-	4° +/-	0.355 (TAPER)	TRADITIONAL	TRADITIONAL

WEDGES	LOFT ADJUSTMENTS	LIE ADJUSTMENTS	TIP
<b>MILLED GRIND 2 CHROME</b>	2° +/-	2° +/-	0.355 (TAPER)
<b>MILLED GRIND 2 BLACK</b>	2° +/-	2° +/-	0.355 (TAPER)
<b>MILLED GRIND 2 TIGER WOODS SPECIAL EDITION GRIND</b>	2° +/-	2° +/-	0.355 (TAPER)
<b>HI-TOE RAIL</b>	2° +/-	2° +/-	0.355 (TAPER)

PUTTERS	LOFT ADJUSTMENTS	LIE ADJUSTMENTS
<b>Spider FGG</b>	2° +/-	3° +/-
<b>Spider X HYBRID BLADE</b>	2° +/-	3° +/-
<b>Spider EX</b>	2° +/-	3° +/-
<b>Spider S</b>	2° +/-	3° +/-
<b>Spider SR</b>	2° +/-	3° +/-

# PROGRESSIVE VS. TRADITIONAL LENGTH IRONS

## IRON LENGTH NOTIFICATION

Starting in 2009, TaylorMade has offered 2 different lengths of irons referred to as Progressive Length & Traditional Length. Each length is designed to offer the best performance for a given iron design. The Progressive length is only offered in SIM2 Max and SIM2 Max OS irons. Traditional lengths are used in all player iron offerings, such as our P•700 Series irons.

### WHAT IS THE DIFFERENCE BETWEEN THE LENGTHS OF IRONS?

See below the actual lengths of an iron built at Progressive and Traditional specifications.

	4 IRON	5 IRON	6 IRON	7 IRON	8 IRON	9 IRON	PW	AW	SW	LW
Progressive	39.13"	38.50"	37.88"	37.25"	36.75"	36.25"	35.75"	35.50"	35.25"	35.00"
Traditional	38.50"	38.00"	37.50"	37.00"	36.50"	36.00"	35.75"	35.50"	35.25"	35.00"

### WHAT IS THE BENEFIT OF PROGRESSIVE LENGTHS?

Progressive lengths offer golfers improved distance and gapping.

### WHAT IS AVAILABLE IN PROGRESSIVE AND TRADITIONAL LENGTHS?

SIM2 MAX / SIM2 MAX OS		P•SERIES	
Progressive Length	Traditional Length	Progressive Length	Traditional Length
All Stock and Custom Shafts	Not Available	Not Available	All Stock and Custom Shafts


# GAME IMPROVEMENT IRON LENGTH CHANGE NOTIFICATION

## TAYLORMADE GOLF COMPANY CUSTOM DEPARTMENT NOTICE REGARDING LENGTH MEASUREMENT

**ATTENTION CUSTOM FITTERS AND ACCOUNTS!**

As of 11/1/18, TaylorMade has improved the way we measure and list the overall club length for our iron products. In the past, we measured overall club length using a method referred to as the "pin length." Moving forward, we will be using the measurement method known as "ground plane." The ground plane method is the closest method to an industry standard and is the preferred measurement method of the USGA. Our goal is to simplify the club-length measurement process and improve build accuracy by switching to the preferred USGA ruler. Now matching a customer's existing club length will be easier than ever!

### NEW GROUND PLANE MEASUREMENT METHOD



**WHAT YOU NEED TO KNOW...**

- Our lengths have changed slightly for the past game improvement irons (SIM2 MAX, SIM2 MAX OS, SIM MAX, SIM MAX OS, M6, M5).
- When compared to the specified club length of previous game improvement irons (SIM2 MAX, SIM2 MAX OS, SIM MAX, SIM MAX OS, M6, M5) appear longer in the specification table but are actually VERY similar in length to previous product (see below).
- Iron lengths are within 1/8" or less of the previous models.
- In order to keep the physical club lengths as close as possible to previous models, we rounded lengths to the nearest 1/8". This required some irons to get slightly longer and others to get slightly shorter.

See below a table for reference. This shows the current and prior M Series iron lengths if they were all measured on the new Ground Plane. As you can see the prior M Series Irons are within 1/8" of the physical lengths of the new SIM MAX, SIM MAX OS, M6 & M5 irons.

		3	4	5	6	7	8	9	PW	AW
Prior M Series Product	M3, M4, MCGB Max	39.28	38.65	38.03	37.39	36.97	36.43	35.95	35.91	35.84
Latest Game Improvement Product	SIM2 MAX, SIM2 MAX OS, SIM MAX, SIM MAX OS, M6, M5	39.25	38.62	38.00	37.50	37.00	36.50	36.00	36.00	35.75

Now that we are matching the USGA method of measurement the fitting process will be easier than ever. Rest assured this will help the accuracy of orders and custom builds moving forward. If you have any questions about this change or how to get your custom order best fit for you, please do not hesitate to call our customer service team at 1-800-888-CLUB!




# P•SERIES LENGTH CHANGE NOTIFICATION

## TAYLORMADE GOLF COMPANY CUSTOM DEPARTMENT NOTICE REGARDING LENGTH MEASUREMENT

### ATTENTION CUSTOM FITTERS AND ACCOUNTS!

As of 11/1/18, TaylorMade has improved the way we measure and list the overall club length for our iron products. In the past, we measured overall club length using a method referred to as the “pin length.” Moving forward, we will be using the measurement method known as “ground plane.” The ground plane method is the closest method to an industry standard and is the preferred measurement method of the USGA. Our goal is to simplify the club-length measurement process and improve build accuracy by switching to the preferred USGA ruler. Now matching a customer’s existing club length will be easier than ever!

## NEW GROUND PLANE MEASUREMENT METHOD



### WHAT YOU NEED TO KNOW...

- Our lengths are changing slightly for latest P•Series Product (P7TW, P7MB, P7MC, P770, P790).
- When compared to the specified club length of previous P•700 series irons the new lengths appear longer, however the physical lengths are slightly shorter (see below).
- Iron lengths are within 1/8” of the previous model (AW is 1/2” different as we want the align the length with the new wedge lengths).
- We have updated our graphite shaft lengths to be the same as the steel shaft builds. This effectively makes graphite shaft club lengths 1/4” shorter than the previous generation.

See below a table for reference. This shows the current and prior P•Series iron lengths if they were all measured on the new Ground Plane. As you can see the prior P•Series Irons are 1/4” longer or less than the previous generation. (+.5” in the AW).

		3	4	5	6	7	8	9	PW	AW
Prior P•Series Models	P730, P750, P770, P790 (2017)	39.13	38.63	38.13	37.63	37.13	36.63	36.13	36.00	36.00
Current P•Series Models	P7TW, P7MB, P7MC, P770, P790	39.00	38.50	38.00	37.50	37.00	36.50	36.00	35.75	35.50

### HOW DO I ORDER NEW IRONS?

- If you were fit for a new iron, perfect! You don’t need to do anything except order what you were fit for.
- If you are trying to match the length of a previous P•Series set, we would recommend adjusting your club’s length by +1/4” to prevent your new irons from coming in shorter than your current build specifications.

Now that we are matching the USGA method of measurement the fitting process will be easier than ever. Rest assured this will help the accuracy of orders and custom builds moving forward. If you have any questions about this change or how to get your custom order best fit for you, please do not hesitate to call our customer service team at 1-800-888-CLUB!


# WEDGE LENGTH CHANGE NOTIFICATION

## TAYLORMADE GOLF COMPANY CUSTOM DEPARTMENT NOTICE REGARDING LENGTH MEASUREMENT

### ATTENTION CUSTOM FITTERS AND ACCOUNTS!

As of 9/6/2019 TaylorMade has improved the way we measure the overall club length for our wedges. In November of 2018 we changed the measurement method to a 60° ground plane and we wanted to do the same for the wedges. This is in effort to continue to simplify the clubs-length measurement process and build so all products are measured the same way.

## NEW GROUND PLANE MEASUREMENT METHOD



### WHAT YOU NEED TO KNOW...

- The length of our new wedges would seem to be the same length as they have been in the past on paper however due to the measurement change previous wedge models are in fact +1/8" longer.
- Not all wedges have been converted over to the new measurement method. See below for details.

WEDGE	LENGTH
MG2	New Std
Hi-Toe RAW	New Std
Hi-Toe Bigfoot	New Std
Hi-Toe	Old std ( +1/8" longer)
MG 1	Old std ( +1/8" longer)

### HOW DO I ORDER NEW WEDGES?

- If you were fit for your new wedges, perfect. You don't need to do anything except order what you were fit for
- If you are trying to match the length of a previous TaylorMade Wedge, we would recommend adjusting your club's length by +1/4" to prevent your new irons from coming in shorter than your current build specifications.

Now that we are matching the USGA method of measurement the fitting process will be easier than ever. Rest assured this will help the accuracy of orders and custom builds moving forward. If you have any questions about this change or how to get your custom order best fit for you, please do not hesitate to call our customer service team at 1-800-888-CLUB!

# ANY SHAFT/ANY HEAD – IRONS

## TAYLORMADE GOLF COMPANY CUSTOM DEPARTMENT NOTIFICATION

In 2021, all iron shafts are available in any TaylorMade iron head. You no longer have to worry about matching parallel or tapered shafts to a specific head. This change is meant to make it easier for you to fit the ideal shaft and head combination. Beyond that, we aspire to provide the best performing equipment for all golfers – no restrictions.

We’re committed to taking performance personally for every golfer at every level of the game. This is a major step in showcasing that commitment.

### HOW DOES THIS IMPACT THE LENGTH OF IRONS?

As you are aware, we offer both Progressive and Traditional length irons. We pair Progressive Length with our game improvement irons (SIM2 Max & SIM2 Max OS) to deliver golfers improved distance and gapping. We use Traditional Length in all of our players irons (such as the P•700 Series) to provide consistent control and feel.

	4 IRON	5 IRON	6 IRON	7 IRON	8 IRON	9 IRON	PW	AW	SW	LW
Progressive	39.13"	38.50"	37.88"	37.25"	36.75"	36.25"	35.75"	35.50"	35.25"	35.00"
Traditional	38.50"	38.00"	37.50"	37.00"	36.50"	36.00"	35.75"	35.50"	35.25"	35.00"

In offering any iron shaft with any iron head, we will follow the same length strategy. All game improvement iron lengths will be Progressive (regardless of the shaft model) and all players iron lengths will be Traditional (regardless of shaft model).

SIM2 MAX / SIM2 MAX OS		P•Series	
Progressive Length	Traditional Length	Progressive Length	Traditional Length
All Stock and Custom Shafts	Not Available	Not Available	All Stock and Custom Shafts

### HOW DOES THIS IMPACT THE SELECT FIT TOOLS?

This will not impact your Select Fit tools. They have been designed in such a way that regardless of what shaft you fix into an iron head, it will be play the intended length (either Progressive or Traditional). The length variance when fixed into a SIM2 Max Head vs. a P•790 head (for example) is achieved through a strategic difference in hosel length.

You can fit with confidence, knowing any combination of Select Fit shaft and head will deliver the intended length for that product.

# LAUNCH & SPIN

The final keys to helping a golfer gain more distance is through optimizing their launch conditions – Launch Angle and Spin Rate. To maximize distance for the golfer, the fitter should be trying to provide the highest degree of launch with the lowest spin achievable at their ball speed.

The table below shows a range of optimum launch conditions to maximize distance at varying speeds.

OPTIMIZATION CHART - DRIVER		
Ball Speed (Mph)	Launch Angle (°)	Spin (rpm)
185	10 - 14	2150 - 2800
180	10 - 14	2150 - 2800
175	10.5 - 14.5	2150 - 2850
170	10.5 - 14.5	2150 - 2850
165	10.5 - 14.5	2150 - 2850
160	11 - 15	2200 - 2850
155	11.5 - 15	2250 - 2850
150	11.5 - 15	2250 - 2850
145	12 - 16	2300 - 2900
140	12 - 16	2300 - 2900
135	12.5 - 16.5	2350 - 2950
130	12.5 - 16.5	2400 - 3000
125	13 - 17	2350 - 3050
120	13 - 17	2500 - 3100
115	13 - 17	2500 - 3100
110	13 - 17	2500 - 3100
105	13 - 17	2500 - 3100

# RELATIVE LAUNCH & SPIN CONDITIONS

Fitters should also consider the swing dynamics of the golfer to understand what launch conditions are achievable. The chart below will aid fitters match up launch conditions at various swing speeds but also factoring angle of attack (AoA).

DRIVER - ANGLE OF ATTACK								
Ballspeed		-5	-3	-1	0	1	3	5
180	Launch Angle	8.5 - 10.5	9 - 11	10 - 12	10.5 - 12.5	11 - 13	11.5 - 13.5	12 - 14
	Backspin	2500 - 2900	2400 - 2800	2300 - 2700	2200 - 2600	2100 - 2500	2000 - 2400	1900 - 2300
170	Launch Angle	9 - 11	10 - 12	11 - 13	11.5 - 13.5	12 - 14	12.5 - 14.5	13 - 15
	Backspin	2600 - 3000	2500 - 2900	2400 - 2800	2300 - 2700	2200 - 2600	2100 - 2500	2000 - 2400
160	Launch Angle	10 - 12	11 - 13	11.5 - 13.5	12 - 14	13 - 15	13 - 15	14 - 16
	Backspin	2700 - 3100	2600 - 3000	2500 - 2900	2400 - 2800	2300 - 2700	2200 - 2600	2100 - 2500
150	Launch Angle	10 - 12	11 - 13	12 - 14	12.5 - 14.5	13 - 15	13 - 15	14 - 16
	Backspin	2800 - 3200	2700 - 3100	2600 - 3000	2500 - 2900	2400 - 2800	2300 - 2700	2200 - 2600
140	Launch Angle	10 - 12	11 - 13	12 - 14	12.5 - 14.5	13 - 15	14 - 16	14.5 - 16.5
	Backspin	2900 - 3300	2800 - 3200	2700 - 3100	2600 - 3000	2500 - 2900	2400 - 2800	2300 - 2700
130	Launch Angle	11 - 13	12 - 14	12.5 - 14.5	13 - 15	14 - 16	14.5 - 16.5	15 - 17
	Backspin	3000 - 3400	2900 - 3300	2800 - 3200	2700 - 3100	2600 - 3000	2500 - 2900	2400 - 2800
120	Launch Angle	12.5 - 14.5	13 - 15	13.5 - 15.5	14 - 16	14.5 - 16.5	15 - 17	15 - 17
	Backspin	3100 - 3500	3000 - 3400	2900 - 3300	2800 - 3200	2700 - 3100	2600 - 3000	2500 - 2900
110	Launch Angle	13 - 15	13.5 - 15.5	14 - 16	14.5 - 16.5	15 - 17	15 - 17	15 - 17
	Backspin	3200 - 3600	3100 - 3500	3000 - 3400	2900 - 3300	2800 - 3200	2700 - 3100	2600 - 3000
100	Launch Angle	13.5 - 15.5	14 - 16	14.5 - 16.5	14.5 - 16.5	15 - 17	15 - 17	15 - 17
	Backspin	3300 - 3700	3200 - 3600	3100 - 3500	3000 - 3400	2900 - 3300	2800 - 3200	2700 - 3100
90	Launch Angle	14 - 16	14 - 16	14.5 - 16.5	15 - 17	15 - 17	15 - 17	15 - 17
	Backspin	3400 - 3800	3300 - 3700	3200 - 3600	3100 - 3500	3000 - 3400	2900 - 3300	2800 - 3200
80	Launch Angle	14 - 16	14 - 16	14.5 - 16.5	15 - 17	15 - 17	15 - 17	15 - 17
	Backspin	3500 - 3900	3400 - 3800	3300 - 3700	3200 - 3600	3100 - 3500	3000 - 3400	2900 - 3300
70	Launch Angle	14 - 16	14 - 16	14.5 - 16.5	15 - 17	15 - 17	15 - 17	15 - 17
	Backspin	3600 - 4000	3500 - 3900	3400 - 3800	3300 - 3700	3200 - 3600	3100 - 3500	3000 - 3400


This data was created using radar-based technology. For launch monitors using optical based technology please subtract 2° from the angle of attack when referring to this table. For example: +3 on optical-based launch monitor please refer to the +1 column on the table.

IRONS						
7 IRON BALL SPEED	RANGE OF LAUNCH ANGLE	RANGE OF SPIN RATE (RPM)	EXPECTED HEAD SPEED (MPH)	EXPECTED CARRY DISTANCE (YARDS)	EXPECTED PEAK HEIGHT (YARDS)	EXPECTED LANDING ANGLE (DEGREES)
70	19.5 (21.5) 22.5	5500 (4700) 3800	51	77	10.2	32.2°
80	19.0 (20.5) 22.0	5900 (5000) 4100	58	96	13.4	34.7°
90	18.0 (19.5) 21.0	6300 (5400) 4500	66	115	17	37.6°
100	17.5 (18.5) 20.5	6800 (5800) 4900	73	134	21	40.5°
110	16.5 (18) 19.5	7100 (6200) 5200	80	151	26.2	43.9°
120	15.5 (17) 18.5	7300 (6600) 5700	88	167	30.9	46.4°
130	14.5 (16) 18.0	7900 (7000) 6000	95	181	35.8	48.7°
140	13.5 (15.5) 17.0	8100 (7300) 6400	102	195	41.7	50.9°

Higher launch and lower spin moves generally along landing angle lines. Higher launch and higher spin will increase landing angle.


# DRIVER / FAIRWAY LOFT SLEEVE SETTINGS

- Each click of the 4° Loft Sleeve increases or decreases loft by 0.5 - 0.75°
- Each click of the 4° Loft Sleeve increases or decreases face angle by 1.0 – 2.0°
- Each click of the 4° Loft Sleeve increases or decreases lie angle 0.5 – 0.75°



# RESCUE LOFT SLEEVE SETTINGS

- Each click of the 1.5° Loft Sleeve increases or decreases loft 0.5°
- Each click of the 1.5° Loft Sleeve increases or decreases face angle 0.25° - 1°
- Each click of the 1.5° Loft Sleeve increases or decreases lie angle 0.5°



# CUSTOM DRIVER / FWY SHAFT OPTIONS



		LAUNCH				
		LOW	LOW-MID	MID	MID-HIGH	HIGH
HIGH						ALDILA NV 45 (L)
						MCA BASSARA 42 (A)
						TAYLORMADE TUNED PERFORMANCE (L)
MID-HIGH						MCA BASSARA 42 (R)
						UST PROFORCE V2 HL 50 (S,R,A)
						FUJIKURA AIR SPEEDER 45 (S,R,A)
MID				ALDILA QUARANTA BLUE 40 (R,A,L) <b>S</b>	FUJIKURA VENTUS BLUE 5 (S,R,A)	
				FUJIKURA VENTUS BLUE 6 FW (X,S)	FUJIKURA VENTUS BLUE 5 FW (R,A)	
				MCA TENSEI AV RAW BLUE 60 (X,S,R)	FUJIKURA PRO 2.0 5 / 6 (S,R) <b>S</b>	
				"PROJECT X RIPTIDE 50 (R) 60 (X,S,R) 70 (X,S)"	UST LIN-Q PURPLE 6 / 7 (X,S) <b>SSS</b>	
				"PROJECT X RIPTIDE CB 40 (L,A) 50 (R,A) 60 (R,S)"		
				FUJIKURA EVO 7 661 (X,S) <b>SSSSS</b>		
				FUJIKURA MOTORE X F3 60 / 70 (X,S) <b>SSSS</b>		
MID-LOW				MCA TENSEI AV RAW BLUE 60 (X,S,R)	KBS TD 50 (R) <b>SS</b>	
				MCA DIAMANA S LTD 60 (S,R)		
				MCA KURO KAGE 5TH GEN SILVER 60 (X,S,R)		
				MCA TENSEI AV RAW BLUE FW 65 (S,R) / 75 (X)		
				UST PROFORCE V2 60 (S,R)		
LOW		ALDILA NV GREEN 65 / 75 (X,S) <b>S</b>	ALDILA ROGUE SILVER 110 60 / 70 (X,S)	FUJIKURA VENTUS BLUE (W/VELOCORE) 5 (R) 6 / 7 (X,S) <b>SSSS</b>	GRAPHITE DESIGN DI 7 (X,S) <b>SSSS</b>	GRAPHITE DESIGN IZ 6 / 7 (X,S) <b>SSSS</b>
		FUJIKURA VENTUS BLACK (W/VELOCORE) 6 / 7 (X,S) <b>SSS</b>	GRAPHITE DESIGN XC 6 / 7 (X,S) <b>SSSS</b>	UST PROFORCE V2 70 (X,S)		GRAPHITE DESIGN DI 6 (X,S) <b>SSSS</b>
		FUJIKURA PRO 2.0 TOUR SPEC 6 / 7 / 8 (X,S) <b>SSS</b>	UST LIN-Q GUNMETAL 6 / 7 (X,S) <b>SSS</b>	MCA DIAMANA ZF 60 / 70 (X,S) <b>SSSS</b>		
		MCA TENSEI PRO ORANGE 60 / 70 (X,S) <b>SSSS</b>	UST PROFORCE V2 80 (X,S)	KBS TD 50/ 60 / 70 (S) 60 (R) 50 (A) <b>SSS</b>		
		MCA TENSEI RAW WHITE 75 / 65 (X,S) <b>SSSS</b>	KBS TD 60 (X) <b>SSS</b>	FUJIKURA VENTUS BLUE (W/VELOCORE) HY 90 (X) 80 (S) 70 (S/R) 60 (R) <b>SSS</b>		
		MCA TENSEI RAW WHITE 90 HY (X,S) <b>SSS</b>	KBS TD 70 (X) <b>SSS</b>	MCA FUBUKI V 40 / 50 (R) <b>SSSSS</b>		
		PROJECT X HZRDUS SMOKE GREEN 60 / 70 (X,S)	FUJIKURA MOTORE X F1 60 / 70 (X,S) <b>SSSS</b>			
		LAGP TRONO 65 / 75 (X,S) <b>SSSSSS</b>	MCA DIAMANA DF 50 / 60 / 70 (X,S) <b>SSSSS</b>			
		PROJECT X HZRDUS SMOKE RDX BLACK 60 / 70 / 80 (X,S)				
		PROJECT X HZRDUS SMOKE RDX BLUE 60 / 70 (X,S)				
	PROJECT X HZRDUS SMOKE GREEN 60 / 70 PVD (X,S) <b>SSSS</b>					
	PROJECT X HZRDUS SMOKE BLUE 60 / 70 PVD (X,S) <b>SSSS</b>					
						<b>KEY</b>
						<b>RETAIL UPCHARGE</b>
						<b>S</b> - \$50
						<b>SS</b> - \$100
						<b>SSS</b> - \$150
						<b>SSSS</b> - \$250
						<b>SSSSS</b> - \$350
						<b>SSSSSS</b> - \$400

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD






# CUSTOM DRIVER / FWY SHAFT OPTIONS




## ALDILA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
NV GREEN 65	X	68g	3.5	0.335	Low	Low	+ .75" / -2"	\$50.00
NV GREEN 65	S	67g	3.9	0.335	Low	Low	+ .75" / -2"	\$50.00
NV GREEN 75	X	78g	2.8	0.335	Low	Low	+ .75" / -2"	\$50.00
NV GREEN 75	S	78g	2.8	0.335	Low	Low	+ .75" / -2"	\$50.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
QUARANTA BLUE 40	R	45g	6.7	0.335	Mid	Mid	+ .75" / -2"	\$50.00
QUARANTA BLUE 40	A	44g	6.8	0.335	Mid	Mid	+ .75" / -2"	\$50.00
QUARANTA BLUE 40	L	43g	6.9	0.335	Mid	Mid	+2" / -2"	\$50.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
ROGUE SILVER 110 60	X	67g	3.4	0.335	Mid / Low	Low	+ .75" / -2"	\$-
ROGUE SILVER 110 60	S	63g	3.5	0.335	Mid / Low	Low	+ .75" / -2"	\$-
ROGUE SILVER 110 70	X	73g	2.9	0.335	Mid / Low	Low	+ .75" / -2"	\$-
ROGUE SILVER 110 70	S	72g	3.2	0.335	Mid / Low	Low	+ .75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
NV 45	L	47g	5.9	0.335	High	High	+1.75" / -2"	\$-

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD



# CUSTOM DRIVER / FWY SHAFT OPTIONS



## FUJIKURA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
VENTUS BLUE 5	S	55g	3.9	0.335	Mid-High	Mid	+ .25" / -2"	\$-
VENTUS BLUE 5	R	54g	4.1	0.335	Mid-High	Mid	+ .25" / -2"	\$-
VENTUS BLUE 5	A	53g	4.3	0.335	Mid-High	Mid	+ .25" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
VENTUS BLUE 6 FW	X	63g	3.6	0.335	Mid	Mid	+ .2" / -2"	\$-
VENTUS BLUE 6 FW	S	62g	3.8	0.335	Mid	Mid	+ .2" / -2"	\$-
VENTUS BLUE 5 FW	R	56g	4	0.335	Mid-High	Mid	+ .2" / -2"	\$-
VENTUS BLUE 5 FW	A	55g	4.2	0.335	Mid-High	Mid	+ .2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
VENTUS BLUE w/VELOCORE 6	X	65g	3.1	0.335	Mid	Low	+ .75" / -2"	\$250.00
VENTUS BLUE w/VELOCORE 6	S	65g	3.1	0.335	Mid	Low	+ .75" / -2"	\$250.00
VENTUS BLUE w/VELOCORE 7	X	77.5g	2.9	0.335	Mid	Low	+ .75" / -2"	\$250.00
VENTUS BLUE w/VELOCORE 7	S	76g	3	0.335	Mid	Low	+ .75" / -2"	\$250.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
VENTUS BLACK w/VELOCORE 6	X	65g	3.1	0.335	Low	Low	+ .75" / -2"	\$250.00
VENTUS BLACK w/VELOCORE 6	S	64g	3.4	0.335	Low	Low	+ .75" / -2"	\$250.00
VENTUS BLACK w/VELOCORE 7	X	78g	2.8	0.335	Low	Low	+ .75" / -2"	\$250.00
VENTUS BLACK w/VELOCORE 7	S	77g	3.1	0.335	Low	Low	+ .75" / -2"	\$250.00

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD



# CUSTOM DRIVER / FWY SHAFT OPTIONS



## FUJIKURA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
AIR SPEEDER 45	S	51g	6.3	0.335	High	Mid-High	+ .25" / -2"	\$-
AIR SPEEDER 45	R	49g	6.5	0.335	High	Mid-High	+ .25" / -2"	\$-
AIR SPEEDER 45	A	47g	6.5	0.335	High	Mid-High	+ .25" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
PRO 2.0 TOUR SPEC 6	X	69g	3	0.335	Low	Low	+ .75" / -2"	\$150.00
PRO 2.0 TOUR SPEC 6	S	67g	3	0.335	Low	Low	+ .75" / -2"	\$150.00
PRO 2.0 TOUR SPEC 7	X	79g	2.9	0.335	Low	Low	+ .75" / -2"	\$150.00
PRO 2.0 TOUR SPEC 7	S	78.5g	2.9	0.335	Low	Low	+ .75" / -2"	\$150.00
PRO 2.0 TOUR SPEC 8	X	87g	2.7	0.335	Low	Low	+ .75" / -2"	\$150.00
PRO 2.0 TOUR SPEC 8	S	86.5g	2.7	0.335	Low	Low	+ .75" / -2"	\$150.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
PRO 2.0 5	S	57.5g	3.6	0.335	Mid-High	Mid	+ .75" / -2"	\$50.00
PRO 2.0 5	R	57.5g	3.7	0.335	Mid-High	Mid	+ .75" / -2"	\$50.00
PRO 2.0 6	S	67.5g	3.3	0.335	Mid-High	Mid	+ .75" / -2"	\$50.00
PRO 2.0 6	R	66.5g	3.5	0.335	Mid-High	Mid	+ .75" / -2"	\$50.00

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD



# CUSTOM DRIVER / FWY SHAFT OPTIONS



## GRAPHITE DESIGN



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
TOUR AD XC 6	X	65g	3.2	0.335	Low-Mid	Low	+0.75" / -2"	\$250.00
TOUR AD XC 6	S	64g	3.2	0.335	Low-Mid	Low	+0.75" / -2"	\$250.00
TOUR AD XC 7	X	75g	3	0.335	Low-Mid	Low	+0.75" / -2"	\$250.00
TOUR AD XC 7	S	73g	3	0.335	Low-Mid	Low	+0.75" / -2"	\$250.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
TOUR AD IZ 6	X	65g	3.2	0.335	High	Low	+0.75" / -2"	\$250.00
TOUR AD IZ 6	S	63g	3.2	0.335	High	Low	+0.75" / -2"	\$250.00
TOUR AD IZ 7	X	74g	3.1	0.335	High	Low	+0.75" / -2"	\$250.00
TOUR AD IZ 7	S	72g	3.1	0.335	High	Low	+0.75" / -2"	\$250.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
TOUR AD DI 6	X	66.5g	3.3	0.335	High	Low	+0.75" / -2"	\$250.00
TOUR AD DI 6	S	65g	3.3	0.335	High	Low	+0.75" / -2"	\$250.00
TOUR AD DI 7	X	75g	3.1	0.335	Mid-High	Low	+0.75" / -2"	\$250.00
TOUR AD DI 7	S	73.5g	3.2	0.335	Mid-High	Low	+0.75" / -2"	\$250.00

## KBS



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
TD 50	R	50g	4.0	0.335	Mid-High	Mid-Low	+1.75" / -2"	\$150.00
TD 60	X	62g	3.0	0.335	Mid-Low	Low	+1.75" / -2"	\$150.00
TD 60	S	61g	3.1	0.335	Mid	Low	+1.75" / -2"	\$150.00
TD 70	X	71g	2.9	0.335	Mid-Low	Low	+1.75" / -2"	\$150.00
TD 70	S	70g	2.9	0.335	Mid	Low	+1.75" / -2"	\$150.00

# CUSTOM DRIVER / FWY SHAFT OPTIONS



## LAGP



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
TRONO 65	X	68g	4.0	0.335	Low	Low	+1.75" / -2"	\$400.00
TRONO 65	S	71g	4.8	0.335	Low	Low	+1.75" / -2"	\$400.00
TRONO 75	X	80g	3.4	0.335	Low	Low	+1.75" / -2"	\$400.00
TRONO 75	S	78g	4.2	0.335	Low	Low	+1.75" / -2"	\$400.00

## MCA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
TENSEI PRO ORANGE 60	X	67g	3.4	0.335	Low	Low	+0.75" / -2"	\$250.00
TENSEI PRO ORANGE 60	S	64g	3.5	0.335	Low	Low	+0.75" / -2"	\$250.00
TENSEI PRO ORANGE 70	X	73g	2.8	0.335	Low	Low	+0.75" / -2"	\$250.00
TENSEI PRO ORANGE 70	S	72g	2.9	0.335	Low	Low	+0.75" / -2"	\$250.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
TENSEI AV RAW BLUE 60	X	71	3.9	0.335	Mid	Mid-Low	+1.75" / -2"	\$-
TENSEI AV RAW BLUE 60	S	68	4	0.335	Mid	Mid-Low	+1.75" / -2"	\$-
TENSEI AV RAW BLUE 60	R	65	4.4	0.335	Mid	Mid-Low	+1.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
TENSEI AV RAW BLUE 75 FW	X	73	4.3	0.335	Mid	Mid-Low	+2" / -2"	\$-
TENSEI AV RAW BLUE 65 FW	S	68	4.4	0.335	Mid	Mid-Low	+2" / -2"	\$-
TENSEI AV RAW BLUE 65 FW	R	66	4.5	0.335	Mid	Mid-Low	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
TENSEI AV RAW WHITE 65	X	69g	3.4	0.335	Low	Low	+1.75" / -2"	\$250.00
TENSEI AV RAW WHITE 65	S	66g	3.5	0.335	Low	Low	+1.75" / -2"	\$250.00
TENSEI AV RAW WHITE 75	X	77g	3	0.335	Low	Low	+1.75" / -2"	\$250.00
TENSEI AV RAW WHITE 75	S	75g	3.1	0.335	Low	Low	+1.75" / -2"	\$250.00

# CUSTOM DRIVER / FWY SHAFT OPTIONS



## MCA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
KURO KAGE 5th GEN SILVER 60	X	69g	5.2	0.335	Mid	Mid-Low	+ .25" / -2"	\$-
KURO KAGE 5th GEN SILVER 60	S	67g	5.3	0.335	Mid	Mid-Low	+ .25" / -2"	\$-
KURO KAGE 5th GEN SILVER 60	R	64g	5.4	0.335	Mid	Mid-Low	+ .25" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
DIAMANA S LIMITED 60	S	65g	4.5	0.335	Mid	Mid-Low	+1.75" / -2"	\$-
DIAMANA S LIMITED 60	R	62g	4.5	0.335	Mid	Mid-Low	+1.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
DIAMANA ZF 60	X	67g	3.8	0.335	Mid	Low	+1.75" / -2"	\$250.00
DIAMANA ZF 60	S	64.5g	3.8	0.335	Mid	Low	+1.75" / -2"	\$250.00
DIAMANA ZF 70	X	76.5g	3.1	0.335	Mid	Low	+1.75" / -2"	\$250.00
DIAMANA ZF 70	S	73.5g	3.1	0.335	Mid	Low	+1.75" / -2"	\$250.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
BASSARA E42	R	44g	6.7	0.335	High	Mid-High	+ .75" / -2"	\$-
BASSARA E42	A	43g	6.8	0.335	High	High	+ .75" / -2"	\$-

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS


BUILD




# CUSTOM DRIVER / FWY SHAFT OPTIONS




## PROJECT X



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
HZRDUS SMOKE BLACK RDX 60	6.5 (X)	59g	3.5	0.335	Low	Low	+1.75" / -2"	\$-
HZRDUS SMOKE BLACK RDX 60	6.0 (S)	58g	3.5	0.335	Low	Low	+1.75" / -2"	\$-
HZRDUS SMOKE BLACK RDX 70	6.5 (X)	69g	3.5	0.335	Low	Low	+1.75" / -2"	\$-
HZRDUS SMOKE BLACK RDX 70	6.0 (S)	67g	3.5	0.335	Low	Low	+1.75" / -2"	\$-
HZRDUS SMOKE BLACK RDX 80	6.5 (X)	80g	3	0.335	Low	Low	+1.75" / -2"	\$-
HZRDUS SMOKE BLACK RDX 80	6.0 (S)	80g	3	0.335	Low	Low	+1.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
HZRDUS SMOKE GREEN 60	6.5 (X)	62g	3.3	0.335	Low	Low	+ .75" / -2"	\$-
HZRDUS SMOKE GREEN 60	6.0 (S)	61g	3.3	0.335	Low	Low	+ .75" / -2"	\$-
HZRDUS SMOKE GREEN 70	6.5 (X)	72g	3.2	0.335	Low	Low	+ .75" / -2"	\$-
HZRDUS SMOKE GREEN 70	6 (S)	70g	3.2	0.335	Low	Low	+ .75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
HZRDUS SMOKE BLUE RDX 60	6.5 (X)	64g	3.4	0.335	Low	Low	+1.75" / -2"	\$-
HZRDUS SMOKE BLUE RDX 60	6.0 (S)	63g	3.4	0.335	Low	Low	+1.75" / -2"	\$-
HZRDUS SMOKE BLUE RDX 70	6.5 (X)	76g	3.3	0.335	Low	Low	+1.75" / -2"	\$-
HZRDUS SMOKE BLUE RDX 70	6.0 (S)	75g	3.3	0.335	Low	Low	+1.75" / -2"	\$-


- DRIVER/FWY SHAFTS
- HYBRID SHAFTS
- IRON SHAFTS
- EXOTIC SHAFTS
- WEDGES
- PUTTERS
- SWING GRIPS
- PUTTER GRIPS
- BUILD




# CUSTOM DRIVER / FWY SHAFT OPTIONS



## PROJECT X




MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
EVENFLOW RIPTIDE 50	5.5 (R)	53g	5.4	0.335	Mid	Mid	+ .75" / -2"	\$-
EVENFLOW RIPTIDE 60	6.5 (X)	63g	4.4	0.335	Mid	Mid	+ .75" / -2"	\$-
EVENFLOW RIPTIDE 60	6.0 (S)	62g	4.4	0.335	Mid	Mid	+ .75" / -2"	\$-
EVENFLOW RIPTIDE 60	5.5 (R)	61g	4.4	0.335	Mid	Mid	+ .75" / -2"	\$-
EVENFLOW RIPTIDE 70	6.5 (X)	71g	4	0.335	Mid	Mid	+ .75" / -2"	\$-
EVENFLOW RIPTIDE 70	6.0 (S)	71g	4.2	0.335	Mid	Mid	+ .75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
EVENFLOW RIPTIDE CB 40	4.0 (L)	45g	5.5	0.335	Mid	Mid	L Flex +2" / -2"	\$-
EVENFLOW RIPTIDE CB 40	5.0 (A)	45g	5	0.335	Mid	Mid	+ .75" / -2"	\$-
EVENFLOW RIPTIDE CB 50	5.5 (R)	54g	5.1	0.335	Mid	Mid	+ .75" / -2"	\$-
EVENFLOW RIPTIDE CB 50	5.0 (A)	52g	5.1	0.335	Mid	Mid	+ .75" / -2"	\$-
EVENFLOW RIPTIDE CB 60	6.0 (S)	62g	3.9	0.335	Mid	Mid	+ .75" / -2"	\$-
EVENFLOW RIPTIDE CB 60	5.5 (R)	62g	4	0.335	Mid	Mid	+ .75" / -2"	\$-

## TAYLORMADE



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
TUNED 45	L	51g	3.1	0.335	High	High	+2" / -2"	\$-



# CUSTOM DRIVER / FWY SHAFT OPTIONS



## UST



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
PROFORCE V2 HL 5	F4 (S)	52g	4.2	0.335	High	Mid-High	+.75" / -2"	\$-
PROFORCE V2 HL 5	F3 (R)	52g	4.2	0.335	High	Mid-High	+.75" / -2"	\$-
PROFORCE V2 HL 5	F2 (A)	51g	4.5	0.335	High	Mid-High	+.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
PROFORCE V2 6	F4 (S)	66g	3	0.335	Mid	Mid-Low	+.75" / -2"	\$-
PROFORCE V2 6	F3 (R)	65g	3	0.335	Mid	Mid-Low	+.75" / -2"	\$-
PROFORCE V2 7	F5 (X)	76g	2.2	0.335	Mid	Low	+.75" / -2"	\$-
PROFORCE V2 7	F4 (S)	76g	2.2	0.335	Mid	Low	+.75" / -2"	\$-
PROFORCE V2 8	F5 (X)	86g	1.8	0.335	Low-Mid	Low	+.75" / -2"	\$-
PROFORCE V2 8	F4 (S)	86g	1.8	0.335	Low-Mid	Low	+.75" / -2"	\$-

## UST



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
LIN-Q GUNMETAL 6	F5 (X)	70g	3.2°	0.335	Low-Mid	Low	+.75" / -2"	\$150.00
LIN-Q GUNMETAL 6	F4 (S)	70g	3.3°	0.335	Low-Mid	Low	+.75" / -2"	\$150.00
LIN-Q GUNMETAL 7	F5 (X)	78g	3.1°	0.335	Low-Mid	Low	+.75" / -2"	\$150.00
LIN-Q GUNMETAL 7	F4 (S)	78g	3.1°	0.335	Low-Mid	Low	+.75" / -2"	\$150.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
LIN-Q PURPLE 6	F5 (X)	67g	4.8°	0.335	Mid-High	Mid	+.75" / -2"	\$150.00
LIN-Q PURPLE 6	F4 (S)	68g	3.8°	0.335	Mid-High	Mid	+.75" / -2"	\$150.00
LIN-Q PURPLE 7	F5 (X)	76g	4.1°	0.335	Mid-High	Mid	+.75" / -2"	\$150.00
LIN-Q PURPLE 7	F4 (S)	78g	3.3°	0.335	Mid-High	Mid	+.75" / -2"	\$150.00

# CUSTOM HYBRID SHAFT OPTIONS



		LAUNCH					
		LOW	LOW-MID	MID	MID-HIGH	HIGH	
SPIN	HIGH					ALDILA NV 45 (L)	
						KBS MAX GRAPHITE (S,R,A,L)	
						KBS MAX MT (S,R)	
						TRUE TEMPER ELEVATE (S,R)	
						UST RECOIL ESX (A,L)	
	MID-HIGH					FUJIKURA VENTUS BLUE 7 HY (S)	FUJIKURA VENTUS BLUE 6 HY (R)
						UST RECOIL ESX (S,R)	MCA BASSARA E60 HY (R)
							UST PROFORCE V2 HL 65 HY (S,R,A,L)
	MID		AEROTECH 195 (S,R)		KBS TOUR PROTO HY 95 (X) 85 (S) <b>SS</b>	FUJIKURA PRO 2.0 HYBRID 8 (X) 7 (S) 6 (R) <b>S</b>	
					NIPPON MODUS GOST HY (X,S) <b>SSS</b>	UST PROFORCE V2 HYBRID 85 (X,S,R)	
					KBS TOUR (S)		
					NIPPON MODUS 105 (S,R)		
MID-LOW		PROJECT X CHROME (X,S,R)	NIPPON MODUS 120 (S)	MCA TENSEI AV RAW BLUE HY 80 (X,S) / 70 (R)			
				MCA DIAMANA HY LTD 75 (S) 65 (R) 55 (A)		<b>KEY</b>	
				GRAPHITE DESIGN DI 85 HY (X,S) <b>SSSS</b>		<b>RETAIL UPCHARGE</b>	
LOW						<b>S</b> - \$50	
		KBS C TAPER (X,S)	MCA DIAMANA THUMP 100 (X) 90 (S)	GRAPHITE DESIGN IZ 85 HY (X,S) <b>SSSS</b>		<b>SS</b> - \$100	
		MCA TENSEI RAW WHITE 90 HY (X,S) <b>SSS</b>		FUJIKURA VENTUS BLUE (W/VELOCORE) HY 90 (X) 80 (S) 70 (S/R) 60 (R) <b>SSS</b>		<b>SSS</b> - \$150	
		PROJECT X HZRDUS SMOKE RDX BLACK HY 90 (X) 80 (S)				<b>SSSS</b> - \$250	
	TRUE TEMPER DYNAMIC GOLD (X,S)					<b>SSSSS</b> - \$350	

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD



# CUSTOM HYBRID SHAFT OPTIONS



## AEROTECH



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
195	S	95g	2.4	0.370	Low	Mid	+1.25" / -2"	\$50.00
195	R	95g	2.5	0.370	Low	Mid	+1.25" / -2"	\$50.00

## ALDILA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
NV 45	L	46g	4.1	0.370	High	High	+2" / -2"	\$-

## FUJIKURA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
VENTUS BLUE 7 HY	S	76g	2.8	0.370	Mid-High	Mid-High	+1.75" / -2"	\$-
VENTUS BLUE 6 HY	R	66g	3	0.370	High	Mid-High	+1.75" / -2"	\$-
VENTUS BLUE 5 HY	A	56g	3.4	0.370	High	High	+1.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
VENTUS BLUE w/VELOCORE 90 HY	X	94g	2	0.370	Mid	Low	+2" / -2"	\$150.00
VENTUS BLUE w/VELOCORE 80 HY	S	86g	2.4	0.370	Mid	Low	+2" / -2"	\$150.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
PRO 2.0 6 HY	R	67g	3.5	0.370	Mid-High	Mid	+2" / -2"	\$50.00
PRO 2.0 7 HY	S	77g	2.9	0.370	Mid-High	Mid	+2" / -2"	\$50.00
PRO 2.0 8 HY	X	88g	2.5	0.370	Mid-High	Mid	+2" / -2"	\$50.00

# CUSTOM HYBRID SHAFT OPTIONS



## GRAPHITE DESIGN



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
TOUR AD DI 85 HYBRID	X	88g	2.4	0.370	Mid	Mid-Low	+2" / -2"	\$250.00
TOUR AD DI 85 HYBRID	S	88g	2.4	0.370	Mid	Mid-Low	+2" / -2"	\$250.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
TOUR AD IZ 85 HYBRID	X	88g	2.4	0.370	Mid	Low	+2" / -2"	\$250.00
TOUR AD IZ 85 HYBRID	S	86g	2.4	0.370	Mid	Low	+2" / -2"	\$250.00

## KBS



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
TOUR	S	120g	1.3	0.370	Mid	Mid	+2 / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
MAX GRAPHITE	S	75g	3.0	0.370	High	High	+1.25 / -2"	\$25.00
MAX GRAPHITE	R	65g	3.8	0.370	High	High	+1.25 / -2"	\$25.00
MAX GRAPHITE	A	55g	4.8	0.370	High	High	+1.25 / -2"	\$25.00
MAX GRAPHITE	L	45g	6.5	0.370	High	High	+1.25 / -2"	\$25.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
MAX 85 MT	S	93.3g	2.1	0.370	High	High	+2 / -2"	\$-
MAX 85 MT	R	93.3g	2.1	0.370	High	High	+2 / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
C TAPER	X	130g	1.8	0.370	Low	Low	+2 / -2"	\$-
C TAPER	S	120g	1.9	0.370	Low	Low	+2 / -2"	\$-

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD



# CUSTOM HYBRID SHAFT OPTIONS



## MCA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
BASSARA E60 HY	R	67g	5.6	0.370	High	Mid-High	+2" / -2"	\$-
BASSARA E60 HY	A	63g	6	0.370	High	High	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
TENSEI AV RAW WHITE 90 HY	X	94g	2.6	0.370	Low	Low	+2" / -2"	\$150.00
TENSEI AV RAW WHITE 90 HY	S	89g	2.8	0.370	Low	Low	+2" / -2"	\$150.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
TENSEI AV RAW BLUE 80 HY	X	83g	3.1	0.370	Mid	Mid-Low	+2" / -2"	\$-
TENSEI AV RAW BLUE 80 HY	S	80g	3.2	0.370	Mid	Mid-Low	+2" / -2"	\$-
TENSEI AV RAW BLUE 70 HY	R	78g	3.3	0.370	Mid	Mid-Low	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
DIAMANA THUMP HY 100	X	105g	2.6	0.370	Mid-Low	Low	+2" / -2"	\$-
DIAMANA THUMP HY 100	S	92g	2.9	0.370	Mid-Low	Low	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
DIAMANA LIMITED HY 75	S	76g	3.4	0.370	Mid-Low	Mid-Low	+2" / -2"	\$-
DIAMANA LIMITED HY 65	R	66g	3.7	0.370	Mid-Low	Mid-Low	+2" / -2"	\$-
DIAMANA LIMITED HY 55	A	55g	4	0.370	Mid-Low	Mid-Low	+2" / -2"	\$-

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS


BUILD




# CUSTOM HYBRID SHAFT OPTIONS




## NIPPON



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
MODUS GOST	X	101g	2.5	0.370	Mid	Mid	+1.25" / -2"	\$150.00
MODUS GOST	S	91g	2.8	0.370	Mid	Mid	+1.25" / -2"	\$150.00




MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
MODUS 105	S	106.5g	1.9	0.370	Mid	Mid	+0.50 / -2"	\$-
MODUS 105	R	103g	1.7	0.370	Mid	Mid	+0.50 / -2"	\$-




MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
MODUS 120	S	114g	1.7	0.370	Mid-Low	Mid-Low	+0.50 / -2"	\$-

## PROJECT X



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
HZRDUS SMOKE BLACK RDX 90 HY	6.5 (X)	93g	2.3	0.370	Low	Low	+2" / -2"	\$-
HZRDUS SMOKE BLACK RDX 80 HY	6.0 (S)	81g	2.5	0.370	Low	Low	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
PROJECT X	X	125g	1.2	0.370	Low	Mid-Low	+1.25 / -2"	\$-
PROJECT X	S	120g	1.4	0.370	Low	Mid-Low	+1.25 / -2"	\$-
PROJECT X	R	115g	2.0	0.370	Low	Mid-Low	+1.25 / -2"	\$-

# CUSTOM HYBRID SHAFT OPTIONS



## TRUE TEMPER



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
DYNAMIC GOLD	X	130g	1.5	0.370	Low	Low	+1.25 / -2"	\$-
DYNAMIC GOLD	S	130g	1.8	0.370	Low	Low	+1.25 / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
ELEVATE 95	S	98g	2.0	0.370	High	High	+0.75 / -2"	\$-
ELEVATE 95	R	96g	2.1	0.370	High	High	+0.75 / -2"	\$-

## UST



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
PROFORCE V2 8 HY	F5 (X)	86g	1.8	0.370	Low-Mid	Mid	+1.25" / -2"	\$-
PROFORCE V2 8 HY	F4 (S)	86g	1.8	0.370	Low-Mid	Mid	+1.25" / -2"	\$-
PROFORCE V2 8 HY	F3 (R)	84g	2.2	0.370	Mid	Mid	+1.25" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
PROFORCE V2 HL 6 HY	F4 (S)	64g	4.2	0.370	High	Mid-High	+2" / -2"	\$-
PROFORCE V2 HL 6 HY	F3 (R)	63g	4.3	0.370	High	Mid-High	+2" / -2"	\$-
PROFORCE V2 HL 5 HY	F2 (A)	51g	4.5	0.370	High	Mid-High	+2" / -2"	\$-
PROFORCE V2 HL 5 HY	F1 (L)	51g	5.1	0.370	High	Mid-High	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
RECOIL ESX	S	67g	4.6	0.370	High	Mid-High	+1.25 / -2"	\$25.00
RECOIL ESX	R	64g	4.7	0.370	High	Mid-High	+1.25 / -2"	\$25.00
RECOIL ESX	A	59g	4.8	0.370	High	High	+1.25 / -2"	\$25.00
RECOIL ESX	L	52g	4.2	0.370	High	High	+1.25 / -2"	\$25.00

# CUSTOM IRON SHAFT OPTIONS



		LAUNCH				
		LOW	LOW-MID	MID	MID-HIGH	HIGH
HIGH						ALDILA NV 45 <b>\$ PAR</b>
						FUJIKURA VENTUS BLUE 5 (A) <b>\$ PAR</b>
						KBS HI-REV 120 / 115 WEDGE <b>WEDGE</b>
						KBS MAX MT (S,R) <b>PAR</b>
						KBS MAX GRP 75 (S) 65 (R) 55 (A) 45 (L) <b>\$\$ PAR</b>
						NS PRO 950 NEO (S,R) <b>TAP</b>
						NS PRO ZELOS6 (UNI) <b>ALL</b>
						TRUE TEMPER ELEVATE 95 VSS (S,R) <b>PAR</b>
						UST RECOIL ESX 460 (A) 450 (L) <b>\$\$ ALL</b>
						TAYLORMADE TUNED 45 (L) <b>\$ PAR</b>
MID-HIGH					FUJIKURA VENTUS BLUE 7 (S) <b>\$ PAR</b>	FUJIKURA VENTUS BLUE 6 (R) <b>\$ PAR</b>
					NS PRO 950 (S,R) <b>ALL</b>	UST RECOIL ESX 460 (S,R) <b>\$\$ PAR</b>
					UST RECOIL SW 65 <b>\$\$ WEDGE</b>	
MID					PROJECT X IO (R) <b>\$\$ ANY</b>	
	AEROTECH STEELFIBER 195 (S,R) <b>\$\$\$ ALL</b>		KBS \$ TAPER LITE CHROME (S,R) <b>TAP</b>	STEELFIBER FC 90 (S,R) <b>\$\$\$ TAP</b>	KBS 580 JNR <b>PAR</b>	
	NS PRO MODUS 115 WEDGE BLACK <b>\$\$ WEDGE</b>		KBS TOUR FLT (X,S,R) <b>TAP</b>	KBS C TAPER LITE (X,R,S) <b>TAP</b>		
			KBS TOUR (X) TAP (S) <b>ALL</b>	UST RECOIL 760 SW (R,A) <b>\$\$ TAP</b>		
			MCA MMT 75 (S) 65 (R) 55 (A) <b>\$\$ TAP</b>			
			NS PRO MODUS 105 (S,R) <b>ALL</b>			
			TRUE TEMPER DYNAMIC GOLD 105 VSS (X100,S300,R300) <b>TAP</b>			
			UST RECOIL 95 (S,R) <b>\$\$\$ TAP</b>			
			UST RECOIL 780 SW (S) <b>\$\$ TAP</b>			
			PROJECT X IO (S) <b>\$\$ ANY</b>			
MID-LOW	PROJECT X (6.5,6.0,5.5) <b>ALL</b>	NS PRO MODUS 120 (X) TAP (S) <b>ALL</b>	NS PRO MODUS 130 (X,S) <b>TAP</b>			
			PROJECT X LZ (6.5,6.0,5.5) <b>TAP</b>			
LOW	KBS C TAPER (X,S) <b>ALL</b>		KBS \$ TAPER CHROME (X,S) <b>TAP</b>			
	TRUE TEMPER DYNAMIC GOLD (X100,S300) <b>ALL</b>			<b>KEY</b>		
	TRUE TEMPER DYNAMIC GOLD TOUR ISSUE (X100,S300) <b>\$\$ TAP</b>			RETAIL UPCHARGE	COMPATIBILITY	
	TRUE TEMPER DYNAMIC GOLD <b>WEDGE</b>			<b>\$</b> - \$12.50	<b>PAR</b> - SIM2	
	TRUE TEMPER DYNAMIC GOLD S200 <b>WEDGE</b>			<b>\$\$</b> - \$25	<b>TAP</b> - P-SERIES & MG2 / HI TOE	
	PROJECT X HZRDUS SMOKE 100 (X) 90 (S) <b>\$\$ P-790 UDI</b>			<b>\$\$\$</b> - \$50	<b>ALL</b> - ANY HEAD	
	PROJECT X LS (X,S) <b>\$\$ ANY</b>				<b>WEDGE</b> - MG2 / HI - TOE	

DRIVER/FWY SHAFTS  
 HYBRID SHAFTS  
 IRON SHAFTS  
 EXOTIC SHAFTS  
 WEDGES  
 PUTTERS  
 SWING GRIPS  
 PUTTER GRIPS  
 BUILD







# CUSTOM IRON SHAFT OPTIONS



## AEROTECH



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
STEELFIBER i95	S	95g	2.4	ANY IRON / WEDGE	Low	Mid	+2" / -2"	+2" / -2"	\$50.00
STEELFIBER i95	R	95g	2.5	ANY IRON / WEDGE	Low	Mid	+2" / -2"	+2" / -2"	\$50.00



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
STEELFIBER FC 90 cw	F4 (S)	95g	2.9	ANY IRON / WEDGE	Mid-High	Mid	+2" / -2"	+1.75" / -2"	\$50.00
STEELFIBER FC 90 cw	F3 (R)	95g	3.1	ANY IRON / WEDGE	Mid-High	Mid	+2" / -2"	+1.75" / -2"	\$50.00

## ALDILA



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
NV 45	L	46g	4.1	ANY IRON	High	High	+2" / -2"	+2" / -2"	\$12.50

## FUJIKURA




MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
VENTUS BLUE 7	S	76g	2.8	ANY IRON	Mid-High	Mid-High	+2" / -2"	+2" / -2"	\$12.50
VENTUS BLUE 6	R	66g	3.0	ANY IRON	High	Mid-High	+2" / -2"	+2" / -2"	\$12.50
VENTUS BLUE 5	A	56g	3.4	ANY IRON	High	High	+2" / -2"	+2" / -2"	\$12.50

# CUSTOM IRON SHAFT OPTIONS



## KBS



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
TOUR	X	130g	1.2	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+2" / -2"	\$-
TOUR	S	120g	1.3	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
\$ TAPER CHROME	X	130g	1.2	ANY IRON / WEDGE	Mid	Low	+2" / -2"	+2" / -2"	\$-
\$ TAPER CHROME	S	120g	1.3	ANY IRON / WEDGE	Mid	Low	+2" / -2"	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
\$ TAPER CHROME LITE	S	100g	2.2	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+1.25" / -2"	\$-
\$ TAPER CHROME LITE	R	95g	2.3	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+1.25" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
TOUR FLT	X	130g	1.2	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+2" / -2"	\$-
TOUR FLT	S	120g	1.3	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+2" / -2"	\$-
TOUR FLT	R	110g	1.4	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
C-TAPER	X	130g	1.8	ANY IRON / WEDGE	Low	Low	+2" / -2"	+2" / -2"	\$-
C-TAPER	S	120g	1.9	ANY IRON / WEDGE	Low	Low	+2" / -2"	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
C-TAPER LITE	X	115g	2	ANY IRON / WEDGE	Mid-High	Mid	+2" / -2"	+2" / -2"	\$-
C-TAPER LITE	S	110g	2.1	ANY IRON / WEDGE	Mid-High	Mid	+2" / -2"	+2" / -2"	\$-
C-TAPER LITE	R	105g	2.2	ANY IRON / WEDGE	Mid-High	Mid	+2" / -2"	+2" / -2"	\$-

# CUSTOM IRON SHAFT OPTIONS



## KBS



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
MAX GRAPHITE 75	S	75g	3	ANY IRON	High	High	+2" / -2"	+2" / -2"	\$25.00
MAX GRAPHITE 65	R	65g	3.8	ANY IRON	High	High	+2" / -2"	+2" / -2"	\$25.00
MAX GRAPHITE 55	A	55g	4.8	ANY IRON	High	High	+2" / -2"	+2" / -2"	\$25.00
MAX GRAPHITE 45	L	45g	6.5	ANY IRON	High	High	+2" / -2"	+2" / -2"	\$25.00



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
HI-REV-2.0 120 WEDGE	WEDGE S	125g	1.5	WEDGE	High	High	+2" / -2"	NA	\$-
HI-REV-2.0 115 WEDGE	WEDGE R	115g	1.3	WEDGE	High	High	+2" / -2"	NA	\$-

## MCA



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
MMT 75	S	74g	3.7	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+1.75" / -2"	\$25.00
MMT 65	R	63g	3.5	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+1.75" / -2"	\$25.00
MMT 55	A	59g	3.5	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+1.75" / -2"	\$25.00

# CUSTOM IRON SHAFT OPTIONS



## NIPPON



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
N.S PRO MODUS 130	X	129g	1.4	ANY IRON / WEDGE	Mid	Mid-Low	+2" / -2"	+2" / -2"	\$-
N.S PRO MODUS 130	S	124g	1.5	ANY IRON / WEDGE	Mid	Mid-Low	+2" / -2"	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
N.S PRO MODUS 120	X	120g	1.6	ANY IRON / WEDGE	Mid-low	Mid-Low	+2" / -2"	+2" / -2"	\$-
N.S PRO MODUS 120	S	114g	1.7	ANY IRON / WEDGE	Mid-low	Mid-Low	+2" / -2"	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
N.S PRO MODUS 105	R	103g	1.9	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+2" / -2"	\$-
N.S PRO MODUS 105	S	106.5	1.7	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
N.S PRO 950	S	98g	2	ANY IRON / WEDGE	Mid - High	Mid - High	+1" / -2"	+1.25" / -2"	\$-
N.S PRO 950	R	94.5g	2.3	ANY IRON / WEDGE	Mid - High	Mid - High	+1" / -2"	+1.25" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
N.S PRO 950 NEO	S	98g	1.7	ANY IRON / WEDGE	High	High	+1.5" / -2"	+0.75" / -2"	\$-
N.S PRO 950 NEO	R	94.5g	1.9	ANY IRON / WEDGE	High	High	+1.5" / -2"	+0.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
ZELOS6	UNI	68.5g	3	ANY IRON / WEDGE	High	High	+1" / -2"	+0.25" / -2"	\$-




MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
N.S PRO MODUS 115 WEDGE BLK	WEDGE	122g	1.5	WEDGE	Low	Mid	+2" / -2"	NA	\$25.00


# CUSTOM IRON SHAFT OPTIONS




## PROJECT X




MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
PROJECT X	X (6.5)	125g	1.2	ANY IRON / WEDGE	Low	Mid-Low	+2" / -2"	+1.75" / -2"	\$-
PROJECT X	S (6.0)	120g	1.4	ANY IRON / WEDGE	Low	Mid-Low	+2" / -2"	+1.75" / -2"	\$-
PROJECT X	R (5.5)	115g	2	ANY IRON / WEDGE	Low	Mid-Low	+2" / -2"	+1.75" / -2"	\$-




MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
PROJECT X LZ	X (6.5)	125g	1.3	ANY IRON / WEDGE	Mid	Mid-Low	+2" / -2"	+2" / -2"	\$-
PROJECT X LZ	S (6.0)	120g	1.7	ANY IRON / WEDGE	Mid	Mid-Low	+2" / -2"	+2" / -2"	\$-
PROJECT X LZ	R (5.5)	115g	2.1	ANY IRON / WEDGE	Mid	Mid-Low	+2" / -2"	+2" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
PROJECT X LS	X (6.5)	125g	1.3	ANY IRON / WEDGE	Low	Low	+2" / -2"	+1.75" / -2"	\$25.00
PROJECT X LS	S (6.0)	120g	1.4	ANY IRON / WEDGE	Low	Low	+2" / -2"	+1.75" / -2"	\$25.00



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
PROJECT X IO	S (6.0)	110g	1.6	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+1.75" / -2"	\$25.00
PROJECT X IO	R (5.5)	105g	1.7	ANY IRON / WEDGE	Mid-High	Mid-High	+2" / -2"	+1.75" / -2"	\$25.00



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
HZRDUUS SMOKE 105 (UDI)	6.5 (X)	106.5g	2.1	UDI ONLY	Low	Low	+2" / -2"	NA	\$-
HZRDUUS SMOKE 90 (UDI)	6.0 (S)	91.6g	2.3	UDI ONLY	Low	Low	+2" / -2"	NA	\$-

DRIVER/FWY SHAFTS  
HYBRID SHAFTS  
IRON SHAFTS  
EXOTIC SHAFTS  
WEDGES  
PUTTERS  
SWING GRIPS  
PUTTER GRIPS  
BUILD



# CUSTOM IRON SHAFT OPTIONS



## TRUE TEMPER



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
DYNAMIC GOLD	X100	130g	1.5	ANY IRON / WEDGE	Low	Low	+1.75" / -2"	+1.75" / -2"	\$-
DYNAMIC GOLD	S300	130g	1.8	ANY IRON / WEDGE	Low	Low	+1.75" / -2"	+1.75" / -2"	\$-




MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
DYNAMIC GOLD TOUR ISSUE	X100	130g	1.5	ANY IRON / WEDGE	Low	Low	+2" / -2"	+2" / -2"	\$25.00
DYNAMIC GOLD TOUR ISSUE	S400	132g	1.6	ANY IRON / WEDGE	Low	Low	+2" / -2"	+2" / -2"	\$25.00



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
DYNAMIC GOLD 105 VSS	X	106g	1.9	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+1.75" / -2"	\$-
DYNAMIC GOLD 105 VSS	S	104g	2	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+1.75" / -2"	\$-
DYNAMIC GOLD 105 VSS	R	102g	2.1	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+1.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
ELEVATE 95 VSS	S300	98g	2	ANY IRON / WEDGE	High	High	+1.75" / -2"	+1.75" / -2"	\$-
ELEVATE 95 VSS	R300	96g	2.1	ANY IRON / WEDGE	High	High	+1.75" / -2"	+1.75" / -2"	\$-



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
DYNAMIC GOLD WEDGE	WEDGE	130g	1.4	WEDGE	Low	Low	+2" / -2"	NA	\$-



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
DYNAMIC GOLD S200	WEDGE	129g	1.9	WEDGE	Low	Low	+2" / -2"	NA	\$-

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD



# CUSTOM IRON SHAFT OPTIONS



## UST



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
RECOIL 780 SW	S	86g	3.5	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+1.75" / -2"	\$25.00
RECOIL 760 SW	R	70g	4.1	ANY IRON / WEDGE	Mid-High	Mid	+2" / -2"	+1.75" / -2"	\$25.00
RECOIL 760 SW	A	68g	4.1	ANY IRON / WEDGE	Mid-High	Mid	+2" / -2"	+1.75" / -2"	\$25.00



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
RECOIL 95 F4	S	95g	3.1	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+2" / -2"	\$50.00
RECOIL 95 F3	R	95g	3.1	ANY IRON / WEDGE	Mid	Mid	+2" / -2"	+2" / -2"	\$50.00



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES / WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
Recoil ESX 460	S	67g	4.6	ANY IRON	High	Mid-High	+2" / -2"	+2" / -2"	\$25.00
Recoil ESX 460	R	64g	4.7	ANY IRON	High	Mid-High	+2" / -2"	+2" / -2"	\$25.00
Recoil ESX 460	A	59g	4.8	ANY IRON / WEDGE	High	High	+2" / -2"	+2" / -2"	\$25.00
Recoil ESX 450	L	52g	4.2	ANY IRON / WEDGE	High	High	+2" / -2"	+2" / -2"	\$25.00



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH WEDGE	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
RECOIL SW 65	WEDGE	60g	3.4	WEDGE	Mid-High	Mid-High	+2" / -2"	NA	\$25.00

## TAYLORMADE



MODEL	FLEX	WEIGHT	TORQUE	HEAD COMPATIBILITY	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH P-SERIES	MAX/MIN CUSTOM LENGTH SIM2	UPCHARGE (RETAIL)
TUNED 45	L	59.7g	3.1	ANY IRON	High	High	+2" / -2"	+2" / -2"	\$12.50

DRIVER/FWY SHAFTS  
HYBRID SHAFTS  
IRON SHAFTS  
EXOTIC SHAFTS  
WEDGES  
PUTTERS  
SWING GRIPS  
PUTTER GRIPS  
BUILD



# EXOTIC SHAFT OPTIONS AVAILABLE TO ORDER: 2/19



## FUJIKURA



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
MOTORE X F1 60 X	X	69g	3.7	0.335	Low-Mid	Low	+1.75" / -2"	\$250.00
MOTORE X F1 60 S	S	68g	4.1	0.335	Low-Mid	Low-Mid	+1.75" / -2"	\$250.00
MOTORE X F1 70 X	X	79g	3.5	0.335	Low-Mid	Low	+1.75" / -2"	\$250.00
MOTORE X F1 70 S	S	78g	3.8	0.335	Low-Mid	Low-Mid	+1.75" / -2"	\$250.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
MOTORE X F3 60 X	X	69g	4.1	0.335	Mid	Mid	+1.75" / -2"	\$250.00
MOTORE X F3 60 S	S	68g	4.3	0.335	Mid	Mid	+1.75" / -2"	\$250.00
MOTORE X F3 70 X	X	77g	3.9	0.335	Mid	Mid	+1.75" / -2"	\$250.00
MOTORE X F3 70 S	S	76g	4.1	0.335	Mid	Mid	+1.75" / -2"	\$250.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
EVO 7 661 X	X	67.5g	3.4	0.335	Mid	Mid	+1.75" / -2"	\$350.00
EVO 7 661 S	S	66g	3.4	0.335	Mid	Mid	+1.75" / -2"	\$350.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
VENTUS BLUE W/VELOCORE 5 R	R	58.5g	3.7	0.335	Mid	Low	+1.75" / -2"	\$250.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
VENTUS BLUE W/VELOCORE 60 R HYBRID	R	66g	3.2	0.370	Mid	Low-Mid	+2" / -2"	\$150.00
VENTUS BLUE W/VELOCORE 70 S HYBRID	S	75g	2.6	0.370	Mid	Low-Mid	+2" / -2"	\$150.00
VENTUS BLUE W/VELOCORE 70 R HYBRID	R	74g	2.8	0.370	Mid	Low-Mid	+2" / -2"	\$150.00


DRIVER/FWY SHAFTS  
HYBRID SHAFTS  
IRON SHAFTS  
EXOTIC SHAFTS  
WEDGES  
PUTTERS  
SWING GRIPS  
PUTTER GRIPS  
BUILD




# EXOTIC SHAFT OPTIONS AVAILABLE TO ORDER: 2/19



## MCA




MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
DIAMANA DF 50 X	X	60g	3.0	0.335	Low-Mid	Low	+1.75" / -2"	\$350.00
DIAMANA DF 50 S	S	58g	3.0	0.335	Low-Mid	Low	+1.75" / -2"	\$350.00
DIAMANA DF 60 X	X	66g	3.0	0.335	Low-Mid	Low	+1.75" / -2"	\$350.00
DIAMANA DF 60 S	S	64g	3.0	0.335	Low-Mid	Low	+1.75" / -2"	\$350.00
DIAMANA DF 70 X	X	77g	3.0	0.335	Low-Mid	Low	+1.75" / -2"	\$350.00
DIAMANA DF 70 S	S	73g	3.0	0.335	Low-Mid	Low	+1.75" / -2"	\$350.00




MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
FUBUKI V 40 R	R	48g	3.0	0.335	Mid	Low	+1.75" / -2"	\$350.00
FUBUKI V 50 R	R	54g	3.0	0.335	Mid	Low	+1.75" / -2"	\$350.00

## KBS



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
KBS TD 50G CATEGORY 3 (S FLEX)	S	50g	3.9	0.335	Mid	Low	+1.75" / -2"	\$150.00
KBS TD 60G CATEGORY 2 (R FLEX)	R	60g	3.1	0.335	Mid	Low	+1.75" / -2"	\$150.00
KBS TD 50G CATEGORY 1 (A FLEX)	A	50g	4.2	0.335	Mid	Low	+1.75" / -2"	\$150.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
KBS TOUR PROTO HY 95 X	X	95g	2.7	0.370	Mid	Mid	+2" / -2"	\$100.00
KBS TOUR PROTO HY 85 S	S	85g	3.0	0.370	Mid	Mid	+2" / -2"	\$100.00

# EXOTIC SHAFT OPTIONS AVAILABLE TO ORDER: 2/19



## PROJECT X



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
HZRDU SMOKE GREEN 60 X PVD	X	62g	3.3	0.335	Low	Low	+1.75" / -2"	\$250.00
HZRDU SMOKE GREEN 60 S PVD	S	61g	3.3	0.335	Low	Low	+1.75" / -2"	\$250.00
HZRDU SMOKE GREEN 70 X PVD	X	72g	3.2	0.335	Low	Low	+1.75" / -2"	\$250.00
HZRDU SMOKE GREEN 70 S PVD	S	70g	3.2	0.335	Low	Low	+1.75" / -2"	\$250.00



MODEL	FLEX	WEIGHT	TORQUE	TIP SIZE	LAUNCH	SPIN	MAX/MIN CUSTOM LENGTH	UPCHARGE (RETAIL)
HZRDU SMOKE BLUE 60 X PVD USA	X	64g	3.4	0.335	Low	Low	+1.75" / -2"	\$250.00
HZRDU SMOKE BLUE 60 S PVD USA	S	63g	3.4	0.335	Low	Low	+1.75" / -2"	\$250.00
HZRDU SMOKE BLUE 70 X PVD USA	X	76g	3.3	0.335	Low	Low	+1.75" / -2"	\$250.00
HZRDU SMOKE BLUE 70 S PVD USA	S	75g	3.3	0.335	Low	Low	+1.75" / -2"	\$250.00

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD



# CLUB GRIPS



## GOLF PRIDE



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
TOUR VELVET	BLACK	STANDARD	51.5g	0.580	ROUND	\$0.00
	BLACK	STANDARD	51.5g	0.580	REMINDER	\$0.00
	BLACK	UNDERSIZE	45g	0.620	ROUND	\$0.00
	BLACK	MID-SIZE	53.5g	0.600	ROUND	\$0.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
TOUR VELVET 360 (P-Series)	GRAY / BLACK	STANDARD	50g	0.580	ROUND	\$0.00
TOUR VELVET 360 (HI TOE)	BURGUNDY	STANDARD	50g	0.580	ROUND	\$0.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
TOUR VELVET CORD	BLACK	STANDARD	52.2g	0.580	ROUND	\$10.00
	BLACK	STANDARD	52.5g	0.580	REMINDER	\$10.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
TOUR WRAP 2G	BLACK	STANDARD	55g	0.600	ROUND	\$6.00
	BLACK	MID-SIZE	58g	0.600	ROUND	\$6.00
	WHITE	STANDARD	55g	0.600	ROUND	\$6.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
MCC	RED / BLACK	STANDARD	46.5g	0.600	ROUND	\$10.00
	RED / BLACK	MID-SIZE	59g	0.600	ROUND	\$10.00
	WHITE / BLACK	STANDARD	46.5g	0.600	ROUND	\$10.00

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD



# CLUB GRIPS



## GOLF PRIDE



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
CP2 PRO	BLACK / RED	STANDARD	50g	0.600	ROUND	\$8.00
	BLACK / RED	MID-SIZE	63.5g	0.600	ROUND	\$8.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
CP2 WRAP	BLACK / BLUE	STANDARD	50g	0.600	ROUND	\$8.00
	BLACK / BLUE	MID-SIZE	63.5g	0.600	ROUND	\$8.00
	BLACK / BLUE	JUMBO	80g	0.600	ROUND	\$8.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
MCC PLUS4	GRAY / BLUE	STANDARD	52g	0.600	ROUND	\$10.00
	GRAY / RED	STANDARD	52g	0.600	ROUND	\$10.00
	GRAY / BLACK	STANDARD	52g	0.600	ROUND	\$10.00
	GRAY / BLACK	MID-SIZE	66g	0.600	ROUND	\$10.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
Z-GRIP	WHITE / BLACK	STANDARD	50.5g	0.600	ROUND	\$10.00
	WHITE / BLACK	MID-SIZE	57.5g	0.600	ROUND	\$10.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
TOUR VELVET ALIGN	BLACK	STANDARD	52g	0.600	REMINDER	\$8.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
MCC ALIGN	BLACK / WHITE	STANDARD	51g	0.600	REMINDER	\$10.00
MCC PLUS4 ALIGN	BLACK / GRAY	STANDARD	53g	0.600	REMINDER	\$10.00
MCC PLUS4 ALIGN	BLACK / GRAY	MID-SIZE	67g	0.600	REMINDER	\$10.00

# CLUB GRIPS



## LAMKIN



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
CROSSLINE	BLACK / WHITE	STANDARD	50g	0.580	ROUND	\$0.00
	BLACK / WHITE	MID-SIZE	62g	0.580	ROUND	\$0.00
	BLACK / WHITE	JUMBO	76g	0.580	ROUND	\$0.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
CROSSLINE SOFT CORD (MG2)	BLACK / BURGUNDY	STANDARD	52g	0.580	ROUND	\$0.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
SONAR PLUS	BLACK / BLUE	STANDARD	53g	0.600	ROUND	\$8.00
	BLACK / BLUE	MID-SIZE	57g	0.600	ROUND	\$8.00
	BLACK / BLUE	JUMBO	77g	0.600	ROUND	\$8.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
SONAR WRAP	BLACK / BLUE	STANDARD	53g	0.600	ROUND	\$8.00
	BLACK / BLUE	MIDSIZE	57g	0.600	ROUND	\$8.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
PLAYERS CORD	BLACK / WHITE	STANDARD	53g	0.600	ROUND	\$8.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
ST HYBRID WITH CALIBRATE	BLACK / GRAY	STANDARD	54g	0.600	ROUND	\$10.00
	BLACK / GRAY	MIDSIZE	58g	0.600	ROUND	\$10.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
ST HYBRID	BLACK / GRAY	STANDARD	53g	0.600	ROUND	\$10.00
	BLACK / GRAY	MIDSIZE	58g	0.600	TYPE	\$10.00

# CLUB GRIPS



## SUPERSTROKE



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
TRAXION TOUR	GRAY / WHITE	STANDARD	48g	0.600	ROUND	\$8.00
	GRAY / WHITE	MIDSIZE	49g	0.600	ROUND	\$8.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
CROSS COMFORT	BLACK / GRAY	STANDARD	48g	0.600	ROUND	\$8.00
	BLACK / GRAY	MIDSIZE	49g	0.600	ROUND	\$8.00

## TAYLORMADE



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
Z GRIP (SIM2 DR/FW)	BLACK / GRAY	STANDARD	47g	0.600	ROUND	\$0.00
Z GRIP (SIM2 DR/FW)	RED	STANDARD	47g	0.600	ROUND	\$0.00
Z GRIP (SIM2 DR/FW)	BLUE	STANDARD	47g	0.600	ROUND	\$0.00
Z GRIP (SIM2 DR/FW)	YELLOW	STANDARD	47g	0.600	ROUND	\$0.00
Z GRIP (SIM2 DR/FW)	ORANGE	STANDARD	47g	0.600	ROUND	\$0.00
Z GRIP (SIM2 DR/FW)	SILVER	STANDARD	47g	0.600	ROUND	\$0.00
Z GRIP (SIM2 DR/FW)	GREEN	STANDARD	47g	0.600	ROUND	\$0.00
Z GRIP (SIM2 DR/FW)	BLACK	STANDARD	47g	0.600	ROUND	\$0.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
Z GRIP (P-SERIES)	BLACK	STANDARD	52g	0.580	ROUND	\$0.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
CROSS LINE 360 (SIM RES/IR)	BLACK / GRAY	STANDARD	47g	0.600	REMINDER	\$0.00

DRIVER/FWY SHAFTS

HYBRID SHAFTS

IRON SHAFTS

EXOTIC SHAFTS

WEDGES

PUTTERS

SWING GRIPS

PUTTER GRIPS

BUILD



# CLUB GRIPS



## TAYLORMADE



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
CROSS LINE 360 (HI-TOE RAW)	BLACK / RED	STANDARD	52g	0.580	ROUND	\$0.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
DUAL FEEL	GRAY / WHITE	LADIES	43g	0.580	ROUND	\$0.00



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
SONAR WOMENS	GRAY / WHITE	STANDARD	38g	0.580	ROUND	\$0.00

## WINN



MODEL	COLOR	SIZE	WEIGHT	BUTT SIZE	TYPE	UPCHARGE (RETAIL)
DRI-TAC	BLACK / RED	STANDARD	48g	0.600	ROUND	\$8.00
	BLACK / BLUE	MIDSIZE	49g	0.600	ROUND	\$8.00

# PUTTER GRIPS



## GOLF PRIDE



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE (RETAIL)
TM PISTOL	BLACK / WHITE	STANDARD	71g	PUTTER	\$0.00

## LAMKIN



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE (RETAIL)
DEEP-ETCHED	BLACK	STANDARD	81g	PUTTER	\$8.00
DEEP-ETCHED CORD	BLACK / WHITE	STANDARD	85g	PUTTER	\$8.00



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE (RETAIL)
SINK FIT SKINNY	BLUE	STANDARD	70g	PUTTER	\$0.00
SINK FIT SKINNY	BLACK	STANDARD	70g	PUTTER	\$0.00

## SUPERSTROKE



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE (RETAIL)
PISTOL GTR 1.0	GRAY / WHITE	MIDSIZE	83g	PUTTER	\$0.00
PISTOL GTR 1.0	WHITE / RED	MIDSIZE	83g	PUTTER	\$0.00
PISTOL GTR 1.0	WHITE / NAVY	MIDSIZE	83g	PUTTER	\$0.00
PISTOL GTR 1.0	BLACK / COPPER	MIDSIZE	83g	PUTTER	\$0.00
PISTOL GTR 1.0	BLACK / WHITE	MIDSIZE	83g	PUTTER	\$0.00
PISTOL 1.0 PT	BLACK / WHITE	STANDARD	47g	PUTTER	\$0.00
PISTOL GTR 1.0	WHITE	MIDSIZE	83g	PUTTER	\$20.00
PISTOL GTR 1.0	SILVER	MIDSIZE	83g	PUTTER	\$20.00
PISTOL GTR 1.0	BLUE	MIDSIZE	83g	PUTTER	\$20.00



# PUTTER GRIPS



## SUPERSTROKE



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE (RETAIL)
TRAXION TOUR 2.0	GRAY / WHITE	MIDSIZE	55g	PUTTER	\$30.00
TRAXION TOUR 3.0	GRAY / WHITE	OVERSIZE	66g	PUTTER	\$30.00



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE (RETAIL)
TRAXION FLATSO 1.0	BLACK / WHITE	MIDSIZE	87g	PUTTER	\$30.00
TRAXION FLATSO 2.0	BLACK / WHITE	OVERSIZE	50g	PUTTER	\$30.00
TRAXION FLATSO 3.0	BLACK / WHITE	OVERSIZE +	61g	PUTTER	\$30.00



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE (RETAIL)
TRAXION PISTOL GT TOUR	BLACK / WHITE	STANDARD	69g	PUTTER	\$30.00



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE (RETAIL)
TRAXION CLAW 2.0	WHITE / BLUE / GRAY	MIDSIZE	63g	PUTTER	\$30.00

## WINN



MODEL	COLOR	SIZE	WEIGHT	TYPE	UPCHARGE (RETAIL)
WINN AVS	BLACK	MIDSIZE	52g	PUTTER	\$0.00
WINN SPIDER	BLACK / RED	STANDARD	52g	PUTTER	\$0.00